# U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

# **CLASSIFICATION ORDER 1869**

**OCTOBER 2, 2007** 

#### PROJECT X-6295

# The following classification changes will be effected by this order:

	Class	<u>Subclass</u>	Art Unit	Ex'r Search <u>Room</u>
Abolished:				
Digests:	435	1-50 51	1639 1631	RND0000A51 RND0000A51
Established:	506 (New)	1-32 33-40 41-43	1639 1743 1639	ELEC0000 ELEC0000

# The following classes are also impacted by this order:

204, 260, 420, 422, 423, 424, 436, 502, 520, 530, 532, 536, 540, 585, 702, 703, 977

# This order includes the following:

- A. CLASSIFICATION MANUAL CHANGES
- C. CHANGES TO THE USPC-TO-IPC CONCORDANCE
- D. DEFINITION CHANGES AND NEW OR ADDITIONAL DEFINITIONS

# **CLASSIFICATION ORDER 1869**

# **OCTOBER 2, 2007**

# PROJECT X-6295

Project Leader: P. Kate White

Examiners: Padmashri Ponnaluri, Sue Liu

Editor: Almeta Y. Quinn

Editorial Assistant: Yvonne Smith

	DESCRIPTION OF STREET		gualia monation angada monation
1.1	DIFFERENTIATED TISSUE OR ORGAN OTHER THAN BLOOD, PER SE, OR DIFFERENTIATED		cyclic reaction, cascade reaction, etc.)
	TISSUE OR ORGAN MAINTAINING; COMPOSITION THEREFOR	7.92	Heterogeneous or solid phase assay system (e.g., ELISA, etc.)
1.2	.Including perfusion; composition	7.93	Competitive assay
	therefor	7.94	Sandwich assay
1.3	.Including freezing; composition	7.95	Indirect assay
	therefor	8	.Involving luciferase
2	MAINTAINING BLOOD OR SPERM IN A PHYSIOLOGICALLY ACTIVE STATE OR COMPOSITIONS THEREOF OR THEREFOR OR	9	<pre>.Geomicrobiological testing (e.g., for petroleum, etc.)</pre>
	METHODS OF IN VITRO BLOOD CELL	10	Involving uric acid
	SEPARATION OR TREATMENT	11	.Involving cholesterol
3	CONDITION RESPONSIVE CONTROL PROCESS	12	Involving urea or urease
<b>4</b>	MEASURING OR TESTING PROCESS INVOLVING ENZYMES OR MICRO-ORGANISMS; COMPOSITION OR TEST STRIP THEREFORE;	13	<pre>.Involving blood clotting factor (e.g.,   involving thrombin, thromboplastin,   fibrinogen, etc.)</pre>
	PROCESSES OF FORMING SUCH COMPOSITION	14	.Involving glucose or galactose
	OR TEST STRIP	15	Involving transferase
5	.Involving virus or bacteriophage	16	Involving transaminase
6	.Involving nucleic acid	17.	Involving creatine phosphokinase
7.1	.Involving antigen-antibody binding,	18	.Involving hydrolase
	specific binding protein assay or	19	Involving esterase
	specific ligand-receptor binding	20	Involving cholinesterase
m 0	assay	21	Involving phosphatase
7.2	Involving a micro-organism or cell membrane bound antigen or cell	22	Involving amylase
	membrane bound receptor or cell	23	Involving proteinase
	membrane bound antibody or	24	Involving peptidase
	microbial lysate	25	.Involving oxidoreductase
7.21	Animal cell	26	Involving dehydrogenase
7.22	Parasite or protozoa	27	Involving catalase
7.23	Tumor cell or cancer cell	28	Involving peroxidase
7.24	Leukocyte (e.g., lymphocyte,	29	.Involving viable micro-organism
7.25	granulocyte, monocyte, etc.)Erythrocyte	. 30	Methods of sampling or inoculating or spreading a sample; methods of
7.3	Flagellar-antigen or pili-antigen		physically isolating an intact
7.31	Fungi (e.g., yeast, mold, etc.)	24	micro-organism
7.32	Bacteria or actinomycetales	31	Testing for sterility condition
7.33	Staphylococcus	32	Testing for antimicrobial activity of a material
7.34	Streptococcus	33	Using multifield media
7.35	Salmonella	34	.Determining presence or kind of
7.36	Sexually transmitted disease (e.g., chlamydia, syphilis, gonorrhea,	24	micro-organism; use of selective media
7.37	etc.) Escherichia coli	35	Using radioactive material
7.4	To identify an enzyme or isoenzyme	36	Streptococcus; staphylococcus
7.5	Involving avidin-biotin binding	37	Nitrate to nitrite reducing bacteria
7.6	Involving a modified enzyme (e.g.,	38	Enterobacteria
7.0	abzyme, recombinant, chemically	39	Quantitative determination
	altered, etc.)	40	Using multifield media
7.7	Assay in which a label present is an apoenzyme, prosthetic group, or enzyme cofactor	40.5	.Involving fixed or stabilized, nonliving microorganism, cell, or tissue (e.g., processes of staining,
7.71	. Assay in which a label present is an enzyme inhibitor or functions to alter enzyme activity	40.51	<pre>stabilizing, dehydrating, etc.; compositions used therefore, etc.)Involving a monolayer, smear or</pre>
7.72	Assay in which a label present is an enzyme substrate or substrate analogue	40.52	suspension of microorganisms or cells .Involving tissue sections
7.8	. Involving nonmembrane bound receptor binding or protein binding other than antigen-antibody binding		
7.9	. Assay in which an enzyme present is a label		
7.91	Enzyme produces product which is part of another reaction system (e.g.,		

<sup>#</sup> Title Change
\* Newly Established Subclass

<sup>@</sup> Indent Change & Position Change

			OCTOBER 2007
41	MICRO-ORGANISM, TISSUE CELL CULTURE OR	69.6	Blood proteins
	ENZYME USING PROCESS TO SYNTHESIZE A	69.7	Fusion proteins or polypeptides
	DESIRED CHEMICAL COMPOUND OR	69.8	Signal sequence (e.g.,
	COMPOSITION		beta-galactosidase, etc.)
42	.Process involving micro-organisms of	69.9	Yeast derived
	different genera in the same process, simultaneously	70.1	.Using tissue cell culture to make a protein or polypeptide
43	.Preparing compound having a	70.2	Fused or hybrid cells
	1-thia-4-aza-bicyclo (3.2.0) heptane	70.21	Producing monoclonal antibody
	ring system (e.g., penicillin, etc.)	70.3	Animal tissue cell culture
44	By desacylation of the substituent in	70.4	Blood (lymphoid) cell culture
	6-position	70.5	Producing interferons
45	By acylation of the substituent in 6-position	71.1	.Using a micro-organism to make a protein or polypeptide
46	In presence of phenyl acetic acid or	71.2	Procaryotic micro-organism
	phenyl acetamide or their	71.3	Antibiotic or toxin
45	derivatives	72	.Preparing compound containing
47 .	Preparing compound having a 1-thia-5-aza-bicyclo (4.2.0) octane	, 2	saccharide radical
	ring system (e.g., cephalosporin, etc.)	73	Preparing S-glycoside (e.g., lincomycin, etc.)
48	Di-substituted in 7-position	74	Preparing O-glycoside (e.g.,
40	Cephalosporin C	, -	glucosides, etc.)
50	By acylation of the substituent in the	75	Oxygen of the saccharide radical is
	7-position		directly bonded to a nonsaccharide heterocyclic ring or a fused- or
51	By desacylation of the substituent in the 7-position	•	<pre>bridged-ring system which contains a nonsaccharide heterocyclic ring</pre>
52	Preparing compound containing a cyclopentanohydrophenanthrene		(e.g., coumermycin, novobiocin, etc.)
	nucleus; nor-, homo-, or D-ring	76	The hetero ring has eight or more
= 0	lactone derivatives thereof		ring members and only oxygen as
53	Containing heterocyclic ring		ring hetero atoms (e.g.,
54	Acting on D-ring		erythromycin, spiramycin,
55	Acting at 17-position		nystatin, etc.)
56	Hydroxylating at 17-position	77	Oxygen atom of the saccharide radical
57	Hydroxylating at 16-position		is directly linked through only acyclic carbon atoms to a
58 59	Hydroxylating		nonsaccharide heterocyclic ring
60	At 11-position		(e.g., bleomycin, phleomycin,
61	At 11 alpha positionDehydrogenating; dehydroxylating		etc.)
62	Forming an aryl ring from "A" ring	78	Oxygen atom of the saccharide radical
63	Preparing compound containing a		is directly bonded to a condensed
	prostaglandin nucleus		ring system having three or more carboxyclic rings (e.g.,
64	Preparing compound other than		dauomycin, adriamycin, etc.)
	<pre>saccharide containing a tetracycline nucleus (e.g., naphacene, etc.)</pre>	79	Oxygen atom of the saccharide radical is bonded to a cyclohexyl radical
65	.Preparing compound other than		(e.g., kasugamycin, etc.)
	<pre>saccharide containing a gibberellin nucleus (i.e., gibbane)</pre>	80	Cyclohexyl radical is substituted by two or more nitrogen atoms (e.g.,
66	Preparing compound other than		destomycin, neamin, etc.)
	saccharide containing alloxazine or	81	Cyclohexyl radical is attached
•	isoalloxazine nucleus		directly to a nitrogen atom of
67	Preparing compound containing a carotene nucleus (i.e., carotene)		two or more N-C(=N)-N radicals (e.g., streptomycin, etc.)
68.1	Enzymatic production of a protein or polypeptide (e.g., enzymatic hydrolysis, etc.)	82	Having two saccharide radicals bonded through only oxygen to adjacent ring carbons of the
69.1	Recombinant DNA technique included in method of making a protein or polypeptide		cyclohexyl radical (e.g., ambutyrosin, ribostamycin, etc.)
69.2	Enzyme inhibitors or activators		
69.3	Antigens		
69.4	Hormones and fragments thereof		
69.5	Lymphokines or monokines		
69 51	Interferons		•

<sup>#</sup> Title Change
\* Newly Established Subclass

...Interferons

...Interleukins

69.5Ì

69.52

<sup>@</sup> Indent Change & Position Change

	MICRO-ORGANISM, TISSUE CELL CULTURE OR	94	Produced by the action of an isomerase
•	ENZYME USING PROCESS TO SYNTHESIZE A		(e.g., fructose by the action of
	DESIRED CHEMICAL COMPOUND OR		xylose isomerase on glucose, etc.)
	COMPOSITION	95	Produced by the action of a
	.Preparing compound containing		beta-amylase (e.g., maltose by the
	saccharide radical		action of beta-amylase on amylose,
			etc.)
	Preparing O-glycoside (e.g.,	96	Produced by the action of an exo-1.4
	glucosides, etc.)	50	alpha glucosidase (e.g., dextrose
•	Oxygen atom of the saccharide radical		by the action of glucoamylase on
	is bonded to a cyclohexyl radical		
	(e.g., kasugamycin, etc.)		starch, etc.)
	Cyclohexyl radical is substituted by	97	Produced by the action of a glycosyl
	two or more nitrogen atoms (e.g.,		transferase (e.g., alpha, beta,
	destomycin, neamin, etc.)		gamma-cyclodextrins by the action
	Having two saccharide radicals		of glycosyl transferase on starch,
	bonded through only oxygen to		etc.)
,		98	Produced by the action of an alpha-1,
	adjacent ring carbons of the		6-glucosidase (e.g., amylose
	cyclohexyl radical (e.g.,	•	debranched amylopectin by the
	ambutyrosin, ribostamycin, etc.)		action of pullulanase, etc.)
83	Containing three or more	99	Produced by the action of a
	saccharide radicals (e.g.,	23	carbohydrase (e.g., maltose by the
	liquidomycin, neomycin,		action of alpha amylase on starch,
	lividomycin, etc.)		etc.)
84	Preparing nitrogen-containing	400	•
•	saccharide	100	Disaccharide
85	N-glycoside	101	Polysaccharide of more than five
			saccharide radicals attached to
86	Cobalamin (i.e., vitamin B12, LLD		each other by glycosidic bonds
	factor)	102	Pullulan
87	Nucleoside	103	Dextran
88	Having a fused ring containing a	104	Xanthan; i.e., xanthomonas-type
•	six-membered ring having two	104	heteropolysaccharides
	N-atoms in the same ring (e.g.,	405	
	purine nucleosides, etc.)	105	Monosaccharide
89	Nucleotide	106	.Preparing alpha or beta amino acid or
90	Dinucleotide (e.g., NAD, etc.)		substituted amino acid or salts
91.1			thereof
91.1	Polynucleotide (e.g., nucleic acid,	107	Proline; hydroxyproline; histidine
	oligonucleotide, etc.)	108	Tryptophan; tyrosine; phenylalanine;
91.2	Acellular exponential or geometric		3,4 dihydroxyphenylalanine
	amplification (e.g., PCR, etc.)	109	Aspartic acid (asparaginic acid);
91.21	Involving the making of multiple	100	asparagine
	RNA copies	110	
91.3	Polynucleotide contains only	110.	Glutamic acid; glutamine
	ribonucleotide monomers	111	Utilizing biotin or its derivatives
91.31	Involving catalytic ribonucleic	112	Utilizing surfactant fatty acids or
	acid		fatty acid esters (i.e., having
91.32	Prepared from virus, prokaryotic		seven or more atoms)
91.34	acid	113	Methionine; cysteine; cystine
		114	Citrulline; arginine; ornithine
91.33	Involving virus	115	.Lysine; diaminopimelic acid;
91.4	Modification or preparation of a	وسير	threonine; valine
	recombinant DNA vector		•
91.41	By insertion or addition of one	116	Alanine; leucine; isoleucine; serine;
•	or more nucleotides		homoserine
91.42	Involving deletion of a	117	.Preparing heterocyclic carbon compound
,	nucleotide or nucleotides from		having only O, N, S, Se, or Te as
	a vector		ring hetero atoms
01 5	Acellular preparation of	118	Containing two or more hetero rings
91.5		119	Containing at least two hetero rings
	polynucleotide		bridged or fused among themselves
91.51	Involving RNA as a starting		or bridged or fused with a common
	material or intermediate		carbocyclic ring system, (e.g.,
91.52	Involving a ligase (6.)		rifamycin, etc.)
91.53	Involving a hydrolase (3.)		TITOMYCIII) GCC.
92	Having a fused ring containing a		
	six-membered ring having two		
	N-atoms in the same ring (e.g.,		
	purine based mononucleotides,		
	etc.)		
0.3	•		
93	Mashing or wort making	÷	

<sup>#</sup> Title Change
\* Newly Established Subclass

<sup>@</sup> Indent Change & Position Change

				OCIOBER 2007
	MICRO-ORGANISM, TISSUE CELL CULTURE OR ENZYME USING PROCESS TO SYNTHESIZE A	152		Substrate contains protein as nitrogen source
	DESIRED CHEMICAL COMPOUND OR COMPOSITION	153		Substrate contains inorganic nitrogen source
	Preparing heterocyclic carbon compound having only O, N, S, Se, or Te as	154		Substrate contains inorganic compound, other than water
	ring hetero atoms	155		Containing hydroxy group
120	Nitrogen or oxygen hetero atom and at	156		Aromatic
	least one other diverse hetero ring	157		Acyclic
	atom in the same ring	158		Polyhydric
121	Nitrogen as only ring hetero atom	159		Glycerol
122	Containing six-membered hetero ring	160		Butanol
123	Oxygen as only ring hetero atom	161		Ethanol
124	Containing a hetero ring of at least seven ring members (e.g., zearalenone, macrocyclic lactones, etc.)	162		Multiple stages of fermentation; multiple types of micro-organisms or reuse of micro-organisms
125	Containing six-membered hetero ring (e.g., fluorescein, etc.)	163	•	Produced as by-product, or from waste, or from cellulosic
126	Containing five-membered hetero ring			material substrate
107	(e.g., griseofulvin, etc.)	164		Substrate contains sulphite waste
127	Preparing compound containing at least three carbocyclic rings.	1.65		liquor or citrus waste
128	Preparing nitrogen-containing organic	165		material
	compound	166		.Preparing hydrocarbon
129	Amide (e.g., chloramphenicol, etc.)	167		Only acyclic
130	.Preparing sulfur-containing organic	168		.Preparing element or inorganic compound
	compound	100		except carbon dioxide
131	.Preparing organic compound containing a	169		.Using actinomycetales
	metal or atom other than H, N, C, O,	170		.Using bacteria
	or halogen	171		.Using fungi
132	Preparing oxygen-containing organic compound	440		PROCESS OF MUTATION, CELL FUSION, OR GENETIC MODIFICATION
133	Containing quinone nucleus (i.e., quinoid structure)	441		.Mutation employing a chemical mutagenic agent
134	Fat; fatty oil; ester-type wax; higher fatty acid (i.e., having at least seven carbon atoms in an unbroken chain bound to a carboxyl group);	442		<pre>By replacement of standard nucleic   acid base with base analog (e.g., 5-bromouracil, etc.)</pre>
	oxidized oil or fat	443		By use of intercalating agent (e.g.,
135	Carboxylic acid ester	444		acridine orange, etc.)
136	Containing a carboxyl group	444		<pre>By use of alkylating agent (e.g.,     nitrosoguanidine, etc.)</pre>
137	Sugar acid having five or more carbon atoms (i.e., aldonic,	445		By use of oxidative deamination agent (e.g., nitrous acid, etc.)
	keto-aldonic, or saccharic acid)	446		.Mutation employing radiation or
138	Alpha-ketogulonic acid (i.e.,	110		electricity
120	2-ketogulonic acid)Lactic acid	447		X-ray irradiation
139 140	Acetic acid	448		Ultraviolet irradiation
141	Propionic or butyric acid	449		.Fusion of cells
142	Polycarboxylic acid	450		Employing electric current
143	Having keto group (e.g.,	451		One of the fusing cells is a human
143	alpha-ketoglutaric acid, etc.)			antibody-producing cell
144	Tricarboxylic acid (e.g., citric acid, etc.)	452		One of the fusing cells is a mouse antibody-producing cell
145	Dicarboxylic acid having four or less carbon atoms (e.g., fumaric,	453		One of the fusing cells is a plant cell
	maleic, etc.)	454		One of the fusing cells is a
146	Hydroxy carboxylic acid			<pre>microorganism (e.g., prokaryote, fungus, etc.)</pre>
147	Containing carbonyl group			Langus, eco.,
148	Ketone			•
149	Cyclopentanone or cyclopentadione containing compound			
150	Acetone containing product			
151	Substrate contains grain or cereal material			

<sup>#</sup> Title Change
\* Newly Established Subclass

<sup>@</sup> Indent Change & Position Change

	PROCESS OF MUTATION, CELL FUSION, OR GENETIC MODIFICATION	480	Plasmid or episome contains at least part of a gene encoding a toxin or
455	.Introduction of a polynucleotide molecule into or rearrangement of		encoding for virulence or pathogenicity
	nucleic acid within an animal cell	481	Plasmid or episome contains a gene
456	The polynucleotide is encapsidated within a virus or viral coat	•	which complements a nutritional deficiency mutation
457	Helper virus is present	482	Plasmid or episome contains a gene
			which confers resistance to metal.
458	The polynucleotide is coated with or encapsulated within a lipid containing material (e.g.,		silicon, selenium, or tellurium toxicity
459	liposome, etc.)Involving particle-mediated	483	Yeast is a host for the plasmid or episome
:	transfection (i.e., biolistic transfection)	484	Mycelial fungus is a host for the plasmid or episome
460	Involving laser treatment of the cell before or during transfection	485	Microorganism of the genus Bacillus is a host for the plasmid or
461	Involving electroporation		episome
462	Involving site-specific recombination	486	Microorganism of the genus
	(e.g., Cre-lox, etc.)		Streptomyces is a host for the plasmid or episome
463	Involving general or homologous	487	Microorganism of the genus
	recombination (e.g., gene targeting, etc.)		Brevibacterium or the genus
464			Corynebacterium is a host for the
464	Involving gene duplication within the		plasmid or episome
	cell (e.g., amplification, co-amplification, etc.)	488	Microorganism of the genus
4.65			Escherichia is a host for the
465	Involving co-transfection		plasmid or episome
466	The polynucleotide is a shuttle vector	489	Plural nonidentical plasmids are
	or a transiently replicating hybrid		introduced into a host
	vector		microorganism or culture thereof
467	Introducing an oncogene to establish a cell line		(e.g., plasmid is part of a
468	.Introduction of a polynucleotide		library, etc.)
. 400	molecule into or rearrangement of a	490	The polynucleotide is an unbranched linear fragment
	nucleic acid within a plant cell	173.1	TREATMENT OF MICRO-ORGANISMS OR ENZYMES
469	Introduction via Agrobacterium		WITH ELECTRICAL OR WAVE ENERGY (E.G.,
470	Introduction via electroporation,		MAGNETISM, SONIC WAVES, ETC.)
	particle, fiber or microprojectile	173.2	.Enzyme treated
454	mediated insertion, or injection	173.3	.Modification of viruses (e.g.,
471	.Introduction of a polynucleotide		attenuation, etc.)
	molecule into or rearrangement of	173.4	.Cell membrane or cell surface is target
	nucleic acid within a microorganism	173.5	Membrane permeability increased
	(e.g., bacteria, protozoa,	173.6	Electroporation
477	bacteriophage, etc.)	173.7	Lytic effect produced (e.g.,
472	The polynucleotide is encapsidated	1,5.,	disruption of cell membrane for
	within a bacteriophage, bacteriophage coat, or transducing		release of subcellular parts; e.g.,
	particle		nucleic acids, etc.)
473	The polynucleotide contains a	173.8	.Metabolism of micro-organism enhanced
473	transposon		(e.g., growth enhancement or
474	The polynucleotide is a cosmid		<pre>increased production of microbial product)</pre>
475	The polynucleotide is unencapsidated bacteriophage or viral nucleic acid	173.9	Concentration, separation, or
476	The polynucleotide is a plasmid or		purification of micro-organisms
470	episome	174	CARRIER-BOUND OR IMMOBILIZED ENZYME OR
477	Plasmid or episome contains DNA		MICROBIAL CELL; CARRIER-BOUND OR IMMOBILIZED CELL; PREPARATION THEREOF
	targeting homologous recombination	175	.Multi-enzyme system
	to bacteriophage, viral, or		
	chromosomal DNA within a microorganism	176	Enzyme or microbial cell is immobilized on or in an inorganic carrier
170	Plasmid or episome contains at least	177	.Enzyme or microbial cell is immobilized
478	<del>-</del>	<del>-</del> / ·	on or in an organic carrier
	part of a gene encoding a restriction endonuclease or		· 🛫 · · · · · · · · · · · · · · · · · ·
	modification enzyme		
470			
479	Plasmid or episome confers the		
	ability to utilize directly a compound which a wild type		
	microorganism is unable to utilize		
	microorganism is unable to utilize		

<sup>#</sup> Title Change
\* Newly Established Subclass

<sup>@</sup> Indent Change & Position Change

	CARRIER-BOUND OR IMMOBILIZED ENZYME OR MICROBIAL CELL; CARRIER-BOUND OR	208	Acting on alpha-galatose-glycoside bond (e.g., alpha-galactosidase, etc.)
	IMMOBILIZED CELL; PREPARATION THEREOF  Enzyme or microbial cell is immobilized on or in an organic carrier	209	Acting on beta-1, 4-glucosidic bond (e.g., cellulase, etc. (3.2.1.4))
178	.Carrier is carbohydrate	210	Acting on alpha-1, 6-glucosidic bond
179	Carrier is tarbohydrateCarbohydrate is cellulose or derivative thereof		<pre>(e.g., isoamylase, pullulanase, etc.)</pre>
180	Carrier is synthetic polymer	211	Dextranase (3.2.1.11)
181	Attached to the carrier via a bridging agent	212	. Acting on peptide bond (e.g., thromboplastin, leucine
182	Enzyme or microbial cell is entrapped	0.4.0	amino-peptidase, etc., (3.4))
	within the carrier (e.g., gel,	213	Trypsin; chymotrypsin
	hollow fibre)	214	Thrombin
183	ENZYME (E.G., LIGASES (6.), ETC.),	215	Urokinase
	PROENZYME; COMPOSITIONS THEREOF;	216	Streptokinase
	PROCESS FOR PREPARING, ACTIVATING,	217	Plasmin (i.e., fibrinolysin)
	INHIBITING, SEPARATING, OR PURIFYING ENZYMES	218	Elastase
184	Enzyme inactivation by chemical	219	Proteinase
104	treatment	220	Derived from bacteria
185	Malt	221	Bacteria is bacillus
		222	Bacillus subtilus or bacillus
186	Pancreatin		lichenoformis
. 187	Preparing granular- or free-flowing enzyme composition	223	Derived from fungi
188	Stablizing an enzyme by forming a	224	From yeast
100	mixture, an adduct or a composition,	225	From aspergillus
	or formation of an adduct or enzyme conjugate	226	Derived from animal tissue (e.g., rennin, etc.)
188.5	.Catalytic antibody	227	Acting on carbon to nitrogen bond other than peptide bond (3.5)
189	.Oxidoreductase (1. ) (e.g., luciferase)	228	Acting on a linear amide linkage in
190 .	Acting on CHOH group as donor (e.g., glucose oxidase, lactate	229	linear amide Asparaginase
	dehydrogenase (1.1))	230	Penicillin amidase
191	Acting on nitrogen-containing compound	231	Acting on amide linkage in cyclic
192	as donor (1.2, 1.5, 1.7) Acting on hydrogen peroxide as acceptor (1.11)	231	amides (e.g., penicillinase, etc.) (3.5.2)
193	.Transferase other than ribonuclease	232	Lyase (4. )
100	(2.)	233	.Isomerase (5. )
194	Transferring phosphorus containing	234	Glucose isomerase
195	group (e.g., kineases, etc.(2.7)) .Hydrolase (3.)	235.1	VIRUS OR BACTERIOPHAGE, EXCEPT FOR VIRAL VECTOR OR BACTERIOPHAGE VECTOR;
196	Acting on ester bond (3.1)		COMPOSITION THEREOF; PREPARATION OR
197	Carboxylic ester hydrolase (3.1.1)		PURIFICATION THEREOF; PRODUCTION OF
198	Triglyceride splitting (e.g.,		VIRAL SUBUNITS; MEDIA FOR PROPAGATING
	lipase, etc. (3.1.1.3))	236 .	Inactivation or attenuation; producing viral subunits
199 200	Ribonuclease (3.1.4)Acting on glycosyl compound (3.2)	237	By serial passage of virus
		238	By chemical treatment
201	Acting on alpha-1, 4-glucosidic bond, (e.g., hyaluronidase, invertase,	239	.Recovery or purification
	amylase, etc. (some 3.2.1))	325 <sup>.</sup>	ANIMAL CELL, PER SE (E.G., CELL LINES,
202	Alpha-amylase, microbial source		ETC.); COMPOSITION THEREOF; PROCESS
202	Fungal source		OF PROPAGATING, MAINTAINING OR
204	Alpha-amylase, plant source (3.2.1.1)		PRESERVING AN ANIMAL CELL OR COMPOSITION THEREOF; PROCESS OF
205	Glucoamylase (3.2.1.3)		ISOLATING OR SEPARATING AN ANIMAL CELL OR COMPOSITION THEREOF; PROCESS
206	Acting on beta-1, 4 link between		OF PREPARING A COMPOSITION CONTAINING
4.00	N-acetylmuramic acid and 2-acetylamino 2 deoxy-D-glucose		AN ANIMAL CELL; CULTURE MEDIA THEREFORE
	(e.g., lysozyme, etc.)	326	Animal cell, per se, expressing
207	Acting on beta-galatose-glycoside bond (e.g., beta-galactosidase,		immunoglobulin, antibody, or fragment thereof
	etc.)	-	

<sup>#</sup> Title Change
\* Newly Established Subclass

<sup>@</sup> Indent Change & Position Change

	ANIMAL CELL, PER SE (E.G., CELL LINES,	338	Binds an enzyme
	ETC.); COMPOSITION THEREOF; PROCESS OF PROPAGATING, MAINTAINING OR	339	Binds a virus or component or product thereof (e.g., virus associated
	PRESERVING AN ANIMAL CELL OR COMPOSITION THEREOF; PROCESS OF ISOLATING OR SEPARATING AN ANIMAL	339.1	<pre>antigen, etc.)Binds a retrovirus or component or product thereof (e.g., HIV, LAV,</pre>
	CELL OR COMPOSITION THEREOF; PROCESS OF PREPARING A COMPOSITION CONTAINING	340	HTLV, etc.)Binds a bacterium or similar
	AN ANIMAL CELL; CULTURE MEDIA THEREFORE		microorganism or component or product thereof (e.g., Streptococcus, Legionella,
	Animal cell, per se, expressing immunoglobulin, antibody, or fragment thereof		Mycoplasma, bacterium associated antigen, exotoxin, etc.)
327	Immunoglobulin or antibody is anti-idiotypic	341	Binds a fungus or plant cell or component or product thereof (e.g., fungus associated antigen,
328	Immunoglobulin or antibody is		etc.)
	<pre>chimeric, mutated, or a recombined hybrid (e.g., bifunctional, bispecific, rodent-human chimeric, single chain, rFv, immunoglobuin fusion protein, etc.)</pre>	342	Binds a parasitic protozoan or metazoan cell or component or product thereof; (e.g., Dirofilaria, Eimeria, Coccidia, Trichinella, parasite cell surface
329	Immunoglobulin or antibody binds an oligosaccharide structure other	343	antigen, etc.)Binds a hematopoietic cell or
330	than nucleic acidImmunoglobulin or antibody binds an		component or product thereof
550	expression product of a cancer related gene or fragment thereof (e.g., oncogene, proto-oncogene, etc.)		<pre>(e.g., erythrocyte, granulocyte, macrophage, monocyte, platelet, myelogenous leukemia cell, bone marrow stem cell, granulocytic cell surface antigen, hemoglobin,</pre>
331	Immunoglobulin or antibody binds a specifically identified amino acid	343.1	thrombospondin, glycophorin, etc.)Binds a lymphocytic or
332	sequenceImmunoglobulin or antibody binds a microorganism or normal or mutant component or product thereof (e.g., animal cell, cell surface antigen, secretory product, etc.)		lymphocytic-like cell or component or product thereof (e.g., B cell, B-lineage bone marrow cell, null cell, natural killer cell, B-lymphoblastoid cell, B-lineage, acute
333	Binds a nucleic acid or derivative or component thereof (e.g., DNA, RNA, DNA-RNA, hybrid, nucleotide,		lymphoblastic leukemia cell, B-lymphocytic cell surface antigen, etc.)
	<pre>nucleoside, carcinogen-DNA adduct, etc.)</pre>	343.2	Binds a T-lymphocytic cell or component or product thereof
334	Binds a receptor (e.g., transferrin receptor, Fc receptor, dihydropyridine receptor, IL-2 receptor, etc.)		<pre>(e.g., T-cell, thymocyte, T-lineage bone marrow cell, T-lymphoblastoid cell, T-lineage acute lymphoblastic leukemia</pre>
335	Binds a lymphokine, cytokine, or other secreted growth regulatory		cell, T-lymphocytic cell surface antigen, etc.)
	<pre>factor, differentiation factor, intercellular mediator specific</pre>	344	Binds a cancer cell or component or product thereof (e.g., cell
	for a hematopoietic cell (e.g., interleukin, interferon,	344.1	surface antigen, etc.)Binds an antigen characterized by
336	erythropoietin, etc.)Binds a hormone or other secreted growth regulatory factor,		name or molecular weight (e.g., CEA, NCA, CC glycoprotein, melanoma gp 150 antigen, etc.)
	differentiation factor, intercellular mediator, or	345	Immunoglobulin or antibody binds a drug, hapten, hapten-carrier
÷	neurotransmitter (e.g., insulin, human chorionic gonadotropin, intragonadal regulatory protein,		<pre>complex, or specifically identified chemical structure (e.g., theophylline, digoxin, etc.)</pre>
	Mullerian inhibiting substance, inhibin, epidermal growth factor,	346	Fused or hybrid cell, per se
	nerve growth factor, dopamine,	347	Two or more cell types, per se, in co-culture
337	norepinephrine, etc.)Binds a plasma protein, serum	348	.Insect cell, per se
	<pre>protein, or fibrin (e.g., clotting factor fibrinolytic factor, complement factor, immunoglobulin, apolipoprotein, etc.)</pre>		
	W m/4 l = 0l-		A Indent Change

<sup>#</sup> Title Change
\* Newly Established Subclass

<sup>@</sup> Indent Change & Position Change

# OCTOBER 2007.

			octobilit 4007
	ANIMAL CELL, PER SE (E.G., CELL LINES, ETC.); COMPOSITION THEREOF; PROCESS	384	Culture medium contains a growth factor or growth regulator
	OF PROPAGATING, MAINTAINING OR	385	Medium contains a colony stimulating factor
	PRESERVING AN ANIMAL CELL OR	386	Medium contains an interleukin
	COMPOSITION THEREOF; PROCESS OF	387	Medium contains an interreakin
	ISOLATING OR SEPARATING AN ANIMAL	388	Culture medium contains an albumin
	CELL OR COMPOSITION THEREOF; PROCESS		
	OF PREPARING A COMPOSITION CONTAINING	389	Culture medium contains a transferrin
	AN ANIMAL CELL; CULTURE MEDIA THEREFORE	390	Culture medium contains an incompletely defined plant or
349	.Avian cell, per se		microbial extract excluding animal extract
350	.Canine cell, per se	201	
351	.Feline cell, per se	391	Culture medium contains an animal extract
352	Rodent cell, per se	392	Serum
353	Rat (i.e., Rattus)	393	
354	Mouse (i.e., Mus)	232	. Using airlift or laminar flow aeration or foam culture
. 355	Blood or lymphatic origin or derivative	394	Wherein culture vessel is rotated or
356	L cell or derivative (e.g., Ltk(-),	205	oscillated or culture is agitated
357	etc.)Fibroblast, fibroblast-like cell or	395	Solid support and method of culturing cells on said solid support
337	derivative (e.g., NIH 3T3, etc.)	396	Support is a resin
358	Chinese hamster ovary (i.e., CHO)	397	Support is a gel surface
359	Expressing recombinant tPA	398	Support is a fiber
360	Expressing recombinant thrmone or	399	Fabric, mat, gauze, or fibrous
300	growth factor		coating
361	Expressing recombinant receptor	400	Hollow
362	Expressing recombinant antigen	401	Support is a membrane
363	Primate cell, per se	402	Support is a coated or treated surface
364	Monkey kidney	403	Support is a suspendable particle
365	COS (e.g., COS-7, etc.)	404	.Culture medium, per se
365.1	Expressing recombinant lymphokine,	405	Contains a growth factor or growth
303.1	interferon, hormone, growth		regulator
	factor or morphogen	406	Contains a polypeptide hormone
366	Human	407	Contains an albumin
367	HeLa cell or derivative	408	Contains an animal extract
368	Nervous system origin or derivative	410	PLANT CELL OR CELL LINE, PER SE (E.G.,
369	Renal origin or derivative		TRANSGENIC, MUTANT, ETC.);
370	Hepatic origin or derivative		COMPOSITION THEREOF; PROCESS OF PROPAGATING, MAINTAINING, OR
371	Epithelial origin or derivative		PRESERVING PLANT CELL OR CELL LINE;
372	Blood, lymphatic, or bone marrow		PROCESS OF ISOLATING OR SEPARATING A
	origin or derivative		PLANT CELL OR CELL LINE; PROCESS OF
372.1	Myeloma origin or derivative		REGENERATING PLANT CELLS INTO TISSUE,
372.2	B-cell or derivative	-	PLANT PART, OR PLANT, PER SE, WHERE
372.3	T-cell or derivative		NO GENOTYPIC CHANGE OCCURS; MEDIUM
373	.Method of co-culturing cells	111	THEREFORE
374	Method of storing cells in a viable	411	.Tomato cell or cell line, per se .Corn cell or cell line, per se
	state	412	
375	.Method of regulating cell metabolism or	413 414	. Herbicide resistant . Tobacco cell or cell line, per se
200	physiology	415	Soybean cell or cell line, per se
376	Method of synchronizing cell division	416	:Sunflower cell or cell line, per se
377	Method of altering the differentiation state of the cell	417	.Potato cell or cell line, per se
378	Method of detaching cells, digesting tissue or establishing a primary culture	418	Plant cell or cell line, per se, is pest or herbicide resistant or pest lethal
379	Using mechanical means (e.g., trituration, etc.)	419	Plant cell or cell line, per se, contains exogenous or foreign
380	Releasing bound or adhered cell using protease	420	nucleic acid .Culture, maintenance, or preservation
381	.Digesting tissue with protease		techniques, per se
382	Method of culturing encapsulated cells	421	Involving protoplast
383	Method of culturing cells in suspension	422	Involving conifer cell or tissue
	3322 11 242241		<pre>(e.g., pine, spruce, fir, cedar, etc.)</pre>
			· ·

<sup>#</sup> Title Change
\* Newly Established Subclass

<sup>@</sup> Indent Change & Position Change

	PLANT CELL OR CELL LINE, PER SE (E.G., TRANSGENIC, MUTANT, ETC.);	252.5	Bacillus (e.g., B. subtilis, B. thuringiensis, etc.)
	COMPOSITION THEREOF; PROCESS OF	252.6	Actinoplanes
	PROPAGATING, MAINTAINING, OR	252.7	Clostridium
	PRESERVING PLANT CELL OR CELL LINE;	252.8	Escherichia (e.g., E. coli, etc.) or
	PROCESS OF ISOLATING OR SEPARATING A		salmonella
	PLANT CELL OR CELL LINE; PROCESS OF	252.9	Lactobacillus, pediococcus, or
	REGENERATING PLANT CELLS INTO TISSUE,		leuconostoc
	PLANT PART, OR PLANT, PER SE, WHERE	253.1	Mycobacterium
	NO GENOTYPIC CHANGE OCCURS; MEDIUM	253.2	Nocardia
	THEREFORE	253.3	Pseudomonas
	.Culture, maintenance, or preservation	253.4	Streptococcus
	techniques, per se	253.5	Streptomyces
423	Involving tomato cell or tissue	253.6	Culture media, per se
424	Involving corn cell or tissue	254.1	.Fungi
425	Involving tobacco cell or tissue	254.11	Transformants
426	Involving soybean cell or tissue	254.2	Yeast; media therefor
427	Involving cotton cell or tissue	254.21	Saccharomyces
428	Involving sunflower cell or tissue	254.22	Candida
429	Involving potato cell or tissue	254.23	Pichia
430	Involving regeneration or propagation	254.3	Aspergillus
	into a plant or plant part	254.4	Neurospora
430.1	Involving callus or embryonic stage	254.5	Penicillium
431	Medium, per se, for culture,	254.6	Trichoderma
	maintenance, regeneration, etc.	254.7	Fusarium
242	SPORE FORMING OR ISOLATING PROCESS	254.8	Mucor
243	MICRO-ORGANISM, PER SE (E.G., PROTOZOA,	254.9	Rhizopus
	ETC.); COMPOSITIONS THEREOF; PROCES OF PROPAGATING, MAINTAINING OR	255.1	Yeast
•	PRESERVING MICRO-ORGANISMS OR	255.2	Saccharomyces
	COMPOSITIONS THEREOF; PROCESS OF	255.21	Culture media, per se, or technique
	PREPARING OR ISOLATING A COMPOSITION	255.3	Cryptococcus
	CONTAINING A MICRO-ORGANISM; CULTURE	255.4	Candida or torulopsis
	MEDIA THEREFOR	255.5	Pichia
244	.Chemical stimulation of growth or	255.6	Hansenula
	activity by addition of chemical compound which is not an essential	255.7	Culture media, per se, or technique
	growth factor; stimulation of growth	256.1	Aspergillus
	by removal of a chemical compound	256.2	Mucor
245	.Adaptation or attenuation of cells	256.3	Penicillium
246.	.Foam culture	256.4	Cephalosporium or acremonium
247	.Utilizing media containing lower	256.5	Fusarium
	alkanol (i.e., having one to six	256.6	Rhizopus
	carbon atoms)	256.7	Trichoderma
248	.Utilizing media containing hydrocarbon	256.8	Culture media, per se, or technique
249	Aliphatic	257.1	.Algae, media therefor
250	Having five or less carbon atoms	257.2	Transformants
251	.Utilizing media containing waste	2,57.3	Chlorella
	sulphite liquor	257.4	Euglena
252	.Utilizing media containing cellulose or	257.5	Scenedesmus
	hydrolysates thereof	257.6	Chlamydomonas
252.1	.Bacteria or actinomycetales; media	258.1	.Protozoa, media therefor
050.0	therefor	258.2	Plasmodium
252.2	Rhizobium or agrobacterium	258.3	Leishmania
252.3	Transformants (e.g., recombinant DNA or vector or foreign or exogenous	258.4	Eimeria
	gene containing, fused bacteria,	259	.Lysis of micro-organism
	etc.)	260	.Preserving or maintaining
252.31	Bacillus (e.g., B. subtilis, B.		micro-organism
	thuringiensis, etc.)	261	.Separation of micro-organism from
252.32	Brevibacterium or corynebacterium		culture media
252.33	Escherichia (e.g., E. coli, etc.)		
252.34	Pseudomonas		
252.35	Streptomyces		
252.4	Mixed culture		
	• • • •		

<sup>#</sup> Title Change
\* Newly Established Subclass

<sup>@</sup> Indent Change & Position Change

320.1	VECTOR, PER SE (E.G., PLASMID, HYBRID		testing using antibody or nucleic
	PLASMID, COSMID, VIRAL VECTOR, BACTERIOPHAGE VECTOR, ETC.)	287.3	acid With sample or reagent mechanical
	BACTERIOPHAGE VECTOR, ETC.)	207 4	transport means
262	PROCESS OF UTILIZING AN ENZYME OR	287.4 287.5	Sterility testing means
	MICRO-ORGANISM TO DESTROY HAZARDOUS OR TOXIC WASTE, LIBERATE, SEPARATE, OR PURIFY A PREEXISTING COMPOUND OR	287.5	. Means for measuring gas pressure or gas volume of gas evolved from or consumed in an enzymatic or microbial reaction
	COMPOSITION THEREFORE; CLEANING OBJECTS OR TEXTILES	287.6	. Including frangible means for
262.5	.Destruction of hazardous or toxic waste	207.0	introducing a sample or reagent
263	.Textile treating	287.7	Including bibulous or absorbent layer
264	.Cleaning using a micro-organism or	287.8	Including multiple, stacked layers
265	enzyme .Depilating hides, bating, or hide	287.9	Including a coated reagent or sample layer
205	treating using enzyme or micro-organism	288.1	Including a bottle, tube, flask, or
266		222	jar
266 267	Treating gas, emulsion, or foam. Treating animal or plant material or	288.2	Including multiple internal compartments or baffles
268	micro-organism Treating organ or animal secretion	288.3	Including a dish, plate, slide, or tray
269	Treating blood fraction	288.4	Including multiple compartments
270	Removing nucleic acid from intact or disrupted cell	288.5	<pre>(e.g., wells, etc.)Including means for fluid passage</pre>
271	Glyceridic oil, fat, ester-type wax, or higher fatty acid recovered or		between compartments (e.g., between wells, etc.)
	purified	288.6	Including column separation means
272	Proteinaceous material recovered or purified	288.7	Including optical measuring or testing means
273	Collagen or gelatin	289.1	.Bioreactor
274	Carbohydrate material recovered or	290.1	Composting apparatus
	purified	290.2	Including agitation means
275	Pectin or starch	290.3	Compostor is rotatably mounted
276	Sugar (e.g., molasses treatment, etc.)	290.4	Including solid or liquid transport means into or out of a compostor
277	Cellulose (e.g., plant fibers, etc.)	291.1	Malting or mashing apparatus
278	Producing paper pulp	291.2	Movable floor to facilitate
279	Hemp or flax treating		maintenance (e.g., cleaning)
280	Resolution of optical isomers or purification of organic compounds or	291.3	Vertically spaced stages, levels, or floors
201	composition containing same	291.4	Cascading
281	Petroleum oil or shale oil treating	291.5	With agitator or mash turner
282 283.1	Desulfurizing APPARATUS	291.6	With vertical axis of rotation
284.1	.Differentiated tissue (e.g., organ)	291.7	With horizontal axis of rotation
204.1	perfusion or preservation apparatus	291.8 292.1	Rotating vesselIncluding means to transmit light into
285.1	.Mutation or genetic engineering apparatus	292.1	a bioreactor to facilitate photo- bioreaction (e.g., photosynthesis)
285.2	With means for applying an electric	293.1	Tubular or plug flow bioreactor
	current or charge (e.g.,	293.2	Radial or spiral flow bioreactor
•	electrofusion, electroporation,	294.1	Vessels or trays in series
	etc.)	295.1	Including a draft tube for agitation
285.3	Including projectile means	295.2	Airlift bioreactor
286.1	.Including condition or time responsive control means	295.3	Including a semi-permeable membrane or filter
286.2	Including position control	296.1	Bubble bioreactor
286.3	Plater, streaker, or spreader	297.1	.Including semipermeable membrane or
286.4	Including liquid dispenser means		filter
286.5	Including liquid flow, level, or volume control	297.2 297.3	Including perfusion meansIncluding a spinning semipermeable
286.6	Including gas flow or pressure control	491.3	membrane or filter
286.7	.Including mixing or agitation control	297.4	Including hollow fiber or capillary
287.1	Including measuring or testing		
287.2	Measuring or testing for antibody or nucleic acid, or measuring or		

<sup>#</sup> Title Change
\* Newly Established Subclass

<sup>@</sup> Indent Change & Position Change

	APPARATUS	813	CONTINUOUS FERMENTATION
-	.Bioreactor	814	ENZYME SEPARATION OR PURIFICATION
	Including semipermeable membrane or	815	.By sorption
	filter	816	.By solubility
297.5	In combination with a dish, plate, or	817	ENZYME OR MICROBE ELECTRODE
	tray	818	AERATION OR OXYGEN TRANSFER TECHNIQUE
298.1	Cylindrical reaction tank or vessel	819	FERMENTATION VESSELS IN SERIES
	horizontally disposed with respect	820	SUBCELLULAR PARTS OF MICRO-ORGANISMS
	to its central axis	821	MICRO-ORGANISMS USED IN THE DESTRUCTION
298.2	With a rotatably mounted tank or		OF HAZARDOUS OR TOXIC WASTE
	vessel		*******
299.1	Including solid extended fluid contact		MICRO-ORGANISM CROSS-REFERENCE ART
	reaction surface		COLLECTIONS
299.2	Including a bottle, tube, jar, or		*******
200 1	flask	822	.Using bacteria or actinomycetales
300.1	Including off-gas trapping means	823	Acetobacter
301.1	Including foam breaking means	824	Achromobacter .
302.1	Including magnetically coupled	825	Actinomadura
202 1	agitation meansIncubator	826	Actinomyces
303.1		827	Actinoplanes
303.2	Specifically adapted for an anaerobic	828	Aerobacter
	microorganism or enzyme (e.g., anaerobe jars)	829	Alcaligenes
303.3	Including an agitator	830	Arthrobacter
304.1	Bottle, tube, jar, or flask		
304.1	Including multiple internal	831	Azotobacter
304.2	compartments for baffles	832	Bacillus
304.3	Flat culture flask	833	Bacillus brevis
305.1	Dish, plate, or tray	834	Bacillus cereus
305.2		835	Bacillus circulans
	Multicompartmented	836	Bacillus licheniformis
305.3	Including cover seal	837	Bacillus megaterium
305.4	Including cover seal	838	Bacillus polymyxa
306.1	.Involving lysis of a microorganism by means other than comminution	839	Bacillus subtilis
207 1		. 840	Brevibacterium
307.1	.Microorganism preservation, storage, or transport apparatus	841	Chainia
308.1	Means for separation or recovery of a	842	Clostridium
300.1	microorganism from culture media	843	Corynebacterium
309.1	.Inoculator, streaker, or sampler	844	Corynebacterium diphtheriae
309.2	. Means for inoculation or sampling of a	845	Corynebacterium poinsettiae
303.2	closed vessel	846	Corynebacterium pyogenes
309.3	Loop or wire streaker	847	Erwinia
309.4	Replica plate	848	Escherichia
317.1	MISCELLANEOUS (E.G., SUBCELLULAR PARTS	849	Escherichia coli
317.1	OF MICRO-ORGANISMS, ETC.)	850	Flavobacterium
	********	851	Haemophilus
	CROSS-REFERENCE ART COLLECTIONS	852	Klebsiella
	*******	853	Lactobacillus
800	ELIMINATION OR REDUCTION OF	854	Lactobacillus acidophilus
300	CONTAMINATION BY UNDERSIRED FERMENTS	855	Lactobacillus brevis
	(E.G., ASEPTIC CULTIVATION)	856	Lactobacillus casei
801	ANEROBIC CULTIVATION	857	Lactobacillus plantarum
802	LOGARITHMIC GROWTH PHASE	858	Methylomonas
803	PHYSICAL RECOVERY METHODS (E.G.,	859	Micrococcus
	CHROMATOGRAPHY, GRINDING)		
804	SINGLE CELL PROTEIN	860	Micrococcus flavus
805	TEST PAPERS	861	Micrococcus glutamicus
806	FERTILITY TESTS	862	Micrococcus lysodeikticus
807	GAS DETECTION APPARATUS	863	Mycobacterium
808	OPTICAL SENSING APPARATUS	864	Mycobacterium avium
809	INCUBATORS OR RACKS OR HOLDERS FOR	865	Mycobacterium fortuitum
C C C	CULTURE PLATES OR CONTAINERS	866	Mycobacterium smegmatis
810	PACKAGED DEVICE OR KIT		
811	INTERFERON		
812	FOAM CONTROL	•	
سدب	Collabora		· ·

<sup>#</sup> Title Change
\* Newly Established Subclass

<sup>@</sup> Indent Change & Position Change

			OCIOBER 2007
	MICRO-ORGANISM CROSS-REFERENCE ART	926	Cephalosporium acremonium
	COLLECTIONS	927	Cephalosporium caerulens
	.Using bacteria or actinomycetales	928	Cephalosporium crotocinigenium
867	Micromonospora	929	Fusarium
868	Micromonospora chalcea	930	Hansenula
869	Micromonospora purpurea	931	. Mucor
870	Mycoplasma	932	Paecilomyces
871	Neisseria	933	Penicillium
	Nocardia		
872		934	Penicillium brevi
873	Proteus	935	Penicillium chrysogenum
874	Pseudomonas	936	Penicillium notatium
875	Pseudomonas aeruginosa	937	Penicillium patulum
876	Pseudomonas fluorescens	938	Pichia
877	Pseudomonas putida	939	Rhizopus
878	Rhizobium	940	Saccharomyces
879	Salmonella	941	Saccharomyces carlsbergensis
880	Serratia ·	942	Saccharomyces cerevisiae
881	Serratia marcescens	943	Saccharomyces lactis
882	Staphylococcus	944	Torulopsis
883	Staphylococcus aureus	945	Trichoderma
884	Staphylococcus epidermidis	946	.Using algae
885	Streptococcus	947	.Using protozoa
886	Streptomyces	948	.Using viruses or cell lines
887	Streptomyces albus		***********
888	Streptomyces antibioticus		CROSS-REFERENCE ART COLLECTIONS
889	Streptomyces aureofaciens		RELATED TO SUBCLASSES
890	Streptomyces aureus		7.1 THROUGH 7.95
891	Streptomyces bikiniensia		*********
892	Streptomyces candidus	960	IMMUNOHISTOCHEMICAL ASSAY
893	Streptomyces chartreusis	961	INCLUDING A STEP OF FORMING, RELEASING,
894		. 501	OR EXPOSING THE ANTIGEN OR FORMING
•	Streptomyces diastatochromogenes		THE HAPTEN-IMMUNOGENIC CARRIER
895	Streptomyces filipinensis	•	COMPLEX OR THE ANTIGEN, PER SE
896	Streptomyces fradiae	962	PREVENTION OR REMOVAL OF INTERFERING
897	Streptomyces griseus		MATERIALS OR REACTANTS OR OTHER
898	Streptomyces hygroscopicus	•	TREATMENT TO ENHANCE RESULTS (E.G.,
899	Streptomyces lavendulae		DETERMINING OR PREVENTING NONSPECIFIC
900	Streptomyces lincolnensis		BINDING, ETC.)
901	Streptomyces noursei	963	METHODS OF STOPPING AN ENZYME REACTION
902	Streptomyces olivaceus		OR STABILIZING THE TEST MATERIALS
903	Streptomyces platensis	964	INCLUDING ENZYME-LIGAND CONJUGATE
904	Streptomyces rimosus		PRODUCTION (E.G., REDUCING RATE OF
905	Streptomyces sparogenes	n.c.E	NONPRODUCTIVE LINKAGE, ETC.)
906	Streptomyces venezuelae	965	INVOLVING IDIOTYPE OR ANTI-IDIOTYPE
907	Streptosporangium	0.55	ANTIBODY
908	Streptovirticillium	966	INVOLVING AN ENZYME SYSTEM WITH HIGH TURNOVER RATE OR COMPLEMENT MAGNIFIED
909	Vibrio	•	ASSAY (E.G., MULTI-ENZYME SYSTEMS,
910	Xanthomonas		ETC.)
911	.Using fungi	967	STANDARDS, CONTROLS, MATERIALS (E.G.,
912	Absidia	,	VALIDATION STUDIES, BUFFER SYSTEMS,
913	Aspergillus		ETC.)
914	Aspergillus awamori	968	HIGH ENERGY SUBSTRATES (E.G.,
915	Aspergillus flavus		FLUORESCENT, CHEMILUMINESCENT,
916	Aspergillus filavus Aspergillus fumigatus	•	RADIOACTIVE, ETC.)
	1 0	969	MULTIPLE LAYERING OF REACTANTS
917	Aspergillus niger	970	TEST STRIP OR TEST SLIDE
918	Aspergillus oryzae	. 971	CAPTURE OF COMPLEX AFTER
919	Aspergillus ustus		ANTIGEN-ANTIBODY REACTION
920	Aspergillus wenti	972	MODIFIED ANTIBODY (E.G., HYBRID,
921	Candida	•	BIFUNCTIONAL, ETC. )
922	Candida albicans		
923	Candida lipolytica		
924	Candida tropicalis		
925	Cephalosporium		
			•

<sup>#</sup> Title Change
\* Newly Established Subclass

<sup>@</sup> Indent Change & Position Change

	'		,
973	SIMULTANEOUS DETERMINATION OF MORE THAN ONE ANALYTE	FOR 122	Culture medium, per se, or regeneration medium, per se
974	AIDS RELATED TEST	FOR 123	(435/240.54) MUTATION OR GENETIC ENGINEERING
975	KIT ************************		(435/172.1)
•	FOREIGN ART COLLECTIONS	FOR 124	Fused or hybrid cell formation (435/172.2)
	*********	FOR 125	Recombination (435/172.3)
FOR 000	CLASS-RELATED FOREIGN DOCUMENTS	FOR 126	OBTAINING THE DESIRED GENE; DNA, RNA PER
	eign patents or non-patent liter- rom subclasses that have been re-		SE AND THE MODIFICATION THEREOF OTHER THAN VECTOR MODIFICATION (935/1)
classif:	ied have been transferred direct-	FOR 127	.DNA-RNA hybrid (935/2)
	FOR Collections listed below.	FOR 128	.RNA (935/3)
	Collections contain ONLY foreign or non-patent literature. The	FOR 129	mRNA (935/4)
parenthe	etical references in the Collec- tles refer to the abolished sub-	FOR 130	2-100 nucleotides in length, e.g., t-RNA, etc. (935/5)
	from which these Collections	FOR 131	.DNA, e.g., regulatory sequences, etc. (935/6)
FOR 100	ANIMAL OR PLANT CELL (E.G., CELL LINES,	FOR 132	Homopolymeric, e.g., poly d(A) sequence, etc. (935/7)
	ETC.); COMPOSITIONS THEREOF; PROCESS OF PROPAGATING, MAINTAINING OR	FOR 133	12-75 nucleotides in length, e.g., primers, etc. (935/8)
	PRESERVING ANIMAL OR PLANT CELL OR COMPOSITION THEREOF; PROCESS OF	FOR 134	Structural gene sequence (935/9)
	ISOLATING OR SEPARATING AN ANIMAL OR	FOR 135	Modified structural gene, e.g.,
	PLANT CELL OR COMPOSITION THEREOF; PROCESS OF PREPARING A COMPOSITION		nonnaturally occurring sequence, etc. (935/10)
	CONTAINING ANIMAL OR PLANT CELL;	FOR 136	Polypeptide (935/11)
	CULTURE MEDIA THEREFORE (435/240.1)	FOR 137	Antigenic material (935/12)
FOR 101	Animal cells, per se, culture techniques and media (435/240.2)	FOR 138	Hormone, e.g., human growth factor, insulin, etc. (935/13)
FOR 102	Techniques of establishing a primary	FOR:139	Enzyme (935/14)
	culture (435/240.21)	FOR 140	Antibody (935/15)
FOR 103	Culture of encapsulated cells (435/240.22)Culture of cells on solid support	FOR 141	Methods of producing DNA or RNA other than by expression vectors, e.g., culture of cells high in DNA, etc.
	(e.g., anchorage dependent cells) (435/240.23)	DOD 142	(935/16)
FOR 105	Support is suspendable particle	FOR 142 FOR 143	cell free production (935/17)cDNA synthesis (935/18)
FOR 106	(435.240.24)Culture of cells on membrane	FOR 143	.Isolation or purification of DNA or RNA
	(435/240.241)	EOD 145	(935/19)
FOR 107	Hollow fiber membrane (435/240.242)	FOR 145 FOR 146	mRNA (935/20)mRNA (935/21)
FOR 108	Solid support treated or coated to	FOR 140	VECTORS AND METHODS OF MODIFYING VECTORS
	enhance attachment or growth (435/240.243)		(935/22)
FOR 109	Culture in suspension (435/240.25)	FOR 148	.Inserting gene into vector to form recombinant vector, i.e., cleavage
FOR 110	Fused or hybrid cells (435/240.26)		and ligation (935/23)
FOR 111	Ab or Ig fragments producing cells (435/240.27)	FOR 149	Vector utilized, e.g., episomes, etc. (935/24)
FOR 112	Culture medium, per se (435/240.3)	FOR 150	Plant virus (935/25)
FOR 113	Defined medium (435/240.31)	FOR 151	Cosmid (935/26)
FOR 114	.Plant cells, per se, culture techniques	FOR 152	Plasmid (935/27)
445	and media (435/240.4)	FOR 153	Yeast (935/28)
FOR 115	Culture techniques (e.g., meristem culture, etc.) (435/240.45)	FOR 154	Prokaryotic (935/29)
FOR 116	Culture in suspension (435/240.46)	FOR 155	Plant (935/30)
FOR 117	Protoplasts (435/240.47)	FOR 156	Bacteriophage (935/31)
FOR 117	Callus culture (435/240.48)	FOR 157	Animal virus, e.g., SV40, etc.
FOR 119	Regeneration (includes nonflowering	non 150	(935/32)
FOR 120	ornamentals (435/240.49)Agronomic crops (e.g., tobacco,	FOR 158	METHODS OF ENHANCING OR DIMINISHING EXPRESSION (935/33)
101( 120	grains, etc.) (435/240.5)		
FOR 121	Fruit and vegetable crops (e.g., tomato, etc.) (435/240.51)		•
		•	

<sup>#</sup> Title Change
\* Newly Established Subclass

<sup>@</sup> Indent Change & Position Change

			OCTOBER 2007
	METHODS OF ENHANCING OR DIMINISHING EXPRESSION (935/33)	FOR 202	Methods of analysis of nucleic acids (935/77)
FOR 159	.Eukaryotic cell (935/34)	FOR 203	Including hybridization (935/78)
FOR 160	Plant cell (935/35)	FOR 204	.Methods of selection of recombinant
FOR 161	Transcription (935/36)		gene containing vector; materials
FOR 162	Yeast cell (935/37)		therefore, e.g., replica plating,
FOR 163	.Prokaryotic cell (935/38)		etc. (935/79)
FOR 164	Transcription (935/39)	FOR 205	Gene library manipulation (935/80)
FOR 165	Operon selection (935/40)	FOR 206	Antigen-antibody (935/81)
FOR 166	Promoter, e.g., portable promoters,	FOR 207	. Enzyme activity (935/82)
	etc. (935/41)	FOR 208	Host suicide (935/83)
FOR 167	Gene dosage modification, e.g., copy	FOR 209	Selection medium (935/84)
	number amplification, etc. (935/42)	FOR 210	GENETIC ENGINEERING APPARATUS (935/85)
FOR 168	Inducible, e.g., temperature inducible, etc. (935/43)	FOR 211	<pre>.Analytical, e.g., for autoradiography, etc. (935/86)</pre>
FOR 169	Translation (935/44)	FOR 212	Automated (935/87)
FOR 170	Ribosome binding site (935/45)	FOR 213	.Synthesis, e.g., peptide or gene
FOR 171	Initiation (935/46)	·	synthesizers, etc. (935/88)
FOR 172	.Fused protein or peptide (435/47)	FOR 214	HYBRID OR FUSED CELL TECHNOLOGY, METHODS
FOR 173	.Signal peptide, e.g., secretion, etc. (935/48)		OF IMMORTALIZING CELLS, E.G., HYBRIDOMA, ETC. (935/89)
FOR 174	Post translational modification (935/49)	FOR 215	Method of selection of the desired cell (935/90)
FOR 175	Glycosylation (935/50)	FOR 216	<pre>Of plant cells, e.g., protoplasts,     etc. (935/91)</pre>
FOR 176	Peptide bond cleavage (935/51)	FOR 217	Using positive selection technique
FOR 177	METHODS OF INTRODUCING GENE INTO HOST		(935/92)
	CELL, E.G., TRANSFORMATION OR TRANSFECTION, ETC. (935/52)	FOR 218	.Method of production of hybrid or fused
FOR 178	Microinjection (935/53)	4	cells, e.g., chromosome or genome
FOR 179	.Microencapsulation, e.g., liposome	FOR 219	transfer techniques, etc. (935/93)Of plant cells (935/94)
	vesicle, etc. (935/54)	FOR 220	Fused or hybrid cell, per se (935/95)
FOR 180	.Using vector, e.g., plasmid, etc.	FOR 221	Interspecies fusion (935/96)
	(935/55)	FOR 222	Fungi, e.g., yeasts, etc. (935/97)
FOR 181	Plasmid (935/56)	FOR 223	Plant cells (935/98)
FOR 182	Virus (935/57)	FOR 224	Human cell 935/99)
FOR 183	Phage, e.g., pháge lambda, etc.	FOR 225	B lymphocyte (935/100)
FOR 184	METHOD OF USE OF GENETICALLY ENGINEERED	FOR 226	T lymphocyte (935/101)
2011 201	CELLS, E.G., OIL SPILL CLEANUP, ETC.	FOR 227	Animal cell (935/102)
	(935/59)	FOR 228	Murine cell, e.g., mouse cell, etc. (935/103)
FOR 185	.To produce an identified chemical	FOR 229	B lymphocyte (935/104)
	product, e.g., amino acid, etc. (935/60)	FOR 229 FOR 230	T lymphocyte (935/104)
FOR 186	Yield optimization (935/61)	FOR 230	I lymphocyte (955)/105/ .Method of use of the fused or hybrid
FOR 187	.Control of genetic diseases or defects	FOR 231	cell or the product thereof
1011 107	by use of added gene, e.g., gene		(935/106)
	therapy (935/62)	FOR 232	In vivo use of product
FOR 188	.Use in animal husbandry (935/63)	FOR 233	In vitro, e.g., cell cultivation
FOR 189	.Use in agriculture (935/64)		techniques, affinity
FOR 190	.Vaccine production (935/65)		chromatography, etc. (935/108)
FOR 191	CELLS CONTAINING A VECTOR AND/OR	FOR 234	Production of non-antibody product (935/109)
	EXOGENOUS GENE, PER SE; PROPAGATION THEREOF; OTHER MEMBRANE ENCAPSULATED	FOR 235	For use as testing material (935/110)
FOR 192	DNA, E.G., PROTOPLASTS, ETC. (935/66) Plant cells (935/67)	FOR 236	MISCELLANEOUS (935/111)
FOR 193	.Fungal cells (935/68)		
FOR 194	Yeast cells (935/69)		
FOR 195	Animal cell (935/70)		
FOR 196	Human cell (935/71)		
FOR 197	Bacteria (935/72)		
FOR 198	Escherichia (935/73)		
FOR 199	Bacillus (935/74)		
FOR 2	Streptomyces (935/75)		
FOR 201	ASSAY RELATED TO GENETIC ENGINEERING		•
	(935/76)		, ·

<sup>#</sup> Title Change
\* Newly Established Subclass

<sup>@</sup> Indent Change & Position Change

			OCIODER ZOU?
* 1	DIRECTED MOLECULAR EVOLUTION OF	* 28	Involving an encoding step
1	MACROMOLECULES (E.G., RNA, DNA, PROTEINS, ETC.)	* 29	Using a particular method of
* 2	METHOD SPECIALLY ADAPTED FOR IDENTIFYING	* 30	attachment to the liquid support .Solid-phase synthesis (i.e., wherein
* 3	A LIBRARY MEMBER  Identifying a library member by its fixed physical location on a support or substrate	·	one or more library building blocks are bound to a solid support during library creation) or particular method of cleavage from the solid
* 4	.Identifying a library member by means		support used
	of a tag, label, or other readable	* 31	Involving an encoding step
	or detectable entity associated with the library member (e.g., decoding	* 32	.Using a particular method of attachment to the solid support
	process, etc.)	* 33	APPARATUS SPECIALLY ADAPTED FOR USE IN
* 5	.Using an iterative deconvolution technique	33	COMBINATORIAL CHEMISTRY OR WITH A LIBRARY
* 6	.Direct analysis of a library member,	* 34	.Integrated apparatus specially adapted
	<pre>per se, by a physical method (e.g., spectroscopy, etc.)</pre>		for creating a library, screening a library, and identifying a library
* 7	METHOD OF SCREENING A LIBRARY		member
* 8	.In silico screening	* 35	.Integrated apparatus specially adapted
* 9	.By measuring the ability to		for both screening a library and
	specifically bind a target molecule		identifying a library member
	<pre>(e.g., antibody-antigen binding, receptor-ligand binding, etc.)</pre>	* 36	.Integrated apparatus specially adapted for both creating a library and
* 10	.By measuring the effect on a living		identifying a library member
	organism, tissue, or cell	* 37	Integrated apparatus specially adapted
* 11	.By measuring catalytic activity		for both creating and screening a
* 12	.By measuring a physical property (e.g.,	* 20	library
	mass, etc.)	* 38	.For identifying a library member
* 13	LIBRARY, PER SE (E.G., ARRAY, MIXTURE,	* 39	For screening a library
1.4	IN SILICO, ETC.)	* 40	.For creating a library
* 14	Library contained in or displayed by a micro-organism (e.g., bacteria, animal cell, etc.) or library contained in or displayed by a	* 41	TAG OR LABEL SPECIALLY ADAPTED FOR COMBINATORIAL CHEMISTRY OR A LIBRARY (E.G., FLUORESCENT TAG, BAR CODE, ETC.)
	vector (e.g., plasmid, etc.) or library containing only micro-organisms or vectors	* 42	LINK OR SPACER SPECIALLY ADAPTED FOR COMBINATORIAL CHEMISTRY OR A LIBRARY (E.G., TRACELESS LINKER, SAFETY-CATCH
* 15	Library containing only organic compounds	* 43	LINKER, ETC.) MISCELLANEOUS
* 16	.Nucleotides or polynucleotides, or derivatives thereof		
* 17	RNA or DNA which encodes proteins (e.g., gene library, etc.)		
* 18	.Peptides or polypeptides, or derivatives thereof		
* 19	. Saccharides or polysaccharides, or derivatives thereof	÷	
* 20	. Macromolecular compounds (e.g., synthetic resin, rubber, etc.)		
* 21	Metal-containing organic compounds		
* 22	Library containing only inorganic compounds or inorganic materials		
* 23	METHOP OF CREATING A LIBRARY (E.G., COMBINATORIAL SYNTHESIS, ETC.)		
* 24	.In silico or mathematical conception of a library	•	
* 25	.Using a dynamic combinatorial chemistry technique		
* 26	Biochemical method (e.g., using an enzyme or whole viable micro-organism, etc.)		
* 27	.Liquid-phase synthesis (i.e., wherein		
	all library building blocks are in liquid phase or in solution during		
	all library building blocks are in		

<sup>#</sup> Title Change
\* Newly Established Subclass

<sup>@</sup> Indent Change & Position Change

# PROJECT X-6295

# C. CHANGES TO THE USPC-TO-IPC CONCORDANCE

	USPC			<u>IPC</u>	
Class		Subclass	Subclass		Notation
506		1	C40B		10/00
		2			20/00
		3			20/02
		4			20/04
		5			20/06
		6			20/08
		7			30/00
		8			30/02
		9			30/04
		10			30/06
		11			30/08
		12			30/10
		13			40/00
		14			40/02
		15			40/04
		16			40/06
		17			40/08
		18			40/10
		19			40/12
		20			40/14
		21			40/16
		22			40/18
		23			50/00
		24			50/02
		25			50/04
		26			50/06
		27			50/08
		28			50/10
		29			50/12
		30			50/14
		31			50/16
		32			50/18
		33			60/00
		34			60/02 60/04
		35			
		36			60/06
		37 38			60/08
		39			60/10 60/12
		40			60/12
		41			70/00
		42			80/00
		43			99/00
		<del>1</del> 3			97/UU

# PROJECT X-6295

## D. CHANGES TO THE DEFINITIONS

CLASS 204 – CHEMISTRY: ELECTRICAL AND WAVE ENERGY

Class Definition: Under SECTION IV – REFERENCES TO OTHER CLASSES, SEE OR SEARCH CLASS

# **Insert:**

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for a process of creating a library (e.g., chemical, biological, etc.), process of testing or analyzing a library, or an apparatus specially adapted for such processes.

# PROJECT X-6295

# D. CHANGES TO THE DEFINITIONS

## CLASS 260 – CHEMISTRY OF CARBON COMPOUNDS

Class Definition: Under SECTION III  $-\,$  REFERENCES TO OTHER CLASSES, SEE OR SEARCH CLASS

# Insert:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for a chemical or biological library or a process of creating said library.

# PROJECT X-6295

# D. CHANGES TO THE DEFINITIONS

## CLASS 420 – ALLOYS OR METALLIC COMPOSITIONS

Class Definition: Under SECTION III  $-\,$  REFERENCES TO OTHER CLASSES, SEE OR SEARCH CLASS

# Insert:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for a library (e.g., chemical, biological, etc.) or a process of creating said library.

#### PROJECT X-6295

## D. CHANGES TO THE DEFINITIONS

CLASS 422 – CHEMICAL APPARATUS AND PROCESS DISINFECTING, DEODORIZING, PRESERVING, OR STERILIZING

Class Definition: Under SECTION III – REFERENCES TO OTHER CLASSES, SEE OR SEARCH CLASS

#### **Insert:**

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, subclasses 33 through 40 for apparatus specially adapted for use in combinatorial chemistry or with a library such as in identifying, screening, or creating a library.

Subclass 50: Under SEE OR SEARCH CLASS

#### Insert:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, subclasses 33 through 40 for apparatus specially adapted for use in combinatorial chemistry or with a library such as in identifying, screening, or creating a library.

Subclass 129: Under SEE OR SEARCH CLASS

#### Insert:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, subclasses 33 through 40 for apparatus specially adapted for use in combinatorial chemistry or with a library such as in identifying, screening, or creating a library.

# PROJECT X-6295

# D. CHANGES TO THE DEFINITIONS

## CLASS 423 – CHEMISTRY OF INORGANIC COMPOUNDS

Class Definition: Under SECTION IV – REFERENCES TO OTHER CLASSES, SEE OR SEARCH CLASS

# Insert:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for a chemical library or a process of creating said library.

# PROJECT X-6295

# D. CHANGES TO THE DEFINITIONS

# CLASS 424 – DRUG, BIO-AFFECTING AND BODY TREATING COMPOSITIONS

Subclass 9.1: Under SEE OR SEARCH CLASS

# Insert:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, subclass 10 for a method of screening a library by measuring the effect on a living organism, tissue, or cell.

#### PROJECT X-6295

#### D. CHANGES TO THE DEFINITIONS

#### CLASS 435 – CHEMISTRY: MOLECULAR BIOLOGY AND MICROBIOLOGY

Class Definition: Under SECTION IV – REFERENCES TO OTHER CLASSES, SEE OR SEARCH CLASS

#### **Insert:**

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for a chemical or biological library, a process of creating said library, a process of testing involving said library, or an apparatus specially adapted for creating or testing involving said library.

Subclass 4: Under SEE OR SEARCH CLASS

#### Insert:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for a process of testing involving a chemical or biological library or an apparatus specially adapted for testing involving said library.

Subclass 6: Under SEE OR SEARCH CLASS

#### Insert:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for a process of testing involving a chemical or biological library or an apparatus specially adapted for testing involving said library.

Subclass 7.1: Under SEE OR SEARCH CLASS

#### **Insert:**

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for a process of testing involving a chemical or biological library or an apparatus specially adapted for testing involving said library.

# PROJECT X-6295

## D. CHANGES TO THE DEFINITIONS

Subclass 283.1: Under SEE OR SEARCH CLASS

Insert:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for apparatus specially adapted for use in combinatorial chemistry technology.

Subclass 287.1: Under SEE OR SEARCH CLASS

Insert:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for apparatus specially adapted for use in combinatorial chemistry technology to screen or identify a library member.

## PROJECT X-6295

## D. CHANGES TO THE DEFINITIONS

#### CLASS 436 - CHEMISTRY: ANALYTICAL AND IMMUNOLOGICAL TESTING

Class Definition: Under SECTION III – REFERENCES TO OTHER CLASSES, SEE OR SEARCH CLASS

## **Insert:**

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for testing involving a chemical or biological library.

Subclass 37: After the (1) Note

## **Insert:**

#### SEE OR SEARCH CLASS:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for testing a catalyst library.

Subclass 518: Under SEE OR SEARCH CLASS

## Insert:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for testing involving a chemical or biological library.

# PROJECT X-6295

# D. CHANGES TO THE DEFINITIONS

CLASS  $502-{\rm CATALYST},$  SOLID SORBENT, OR SUPPORT THEREFOR: PRODUCT OR PROCESS OF MAKING

Class Definition: Under SECTION IV – REFERENCES TO OTHER CLASSES, SEE OR SEARCH CLASS

Insert:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for a catalyst library or a method of making said library.

#### PROJECT X-6295

#### D. CHANGES TO THE DEFINITIONS

# CLASS 506 – COMBINATORIAL CHEMISTRY TECHNOLOGY: METHOD, LIBRARY, APPARATUS

#### SECTION I - CLASS DEFINITION

#### GENERAL STATEMENT OF THE CLASS SUBJECT MATTER

This is the specific class for combinatorial chemistry technology, which includes the following subject matter:

- A. Methods specially adapted for identifying the exact nature (e.g., chemical structure, etc.) of a particular library member.
- B. Methods of screening libraries or subsets thereof for a desired activity or property (e.g., binding ability, etc.).
- C. Chemical or biological libraries and modifications thereof (i.e., chemically, biologically, or physically modified).
- D. In silico or virtual libraries and their conception.
- E. Methods of making libraries (e.g., combinatorial synthesis, etc.).
- F. Apparatus specially adapted for use in combinatorial chemistry or library technology to identify library members, to screen libraries, or to synthesize libraries; and integrated apparatus specially adapted for performing any combination of these three tasks.
- G. Tags, labels, linkers, or spacers specially adapted for use in combinatorial chemistry or library technology.
- H. Other processes or products specially adapted for combinatorial chemistry or libraries.

#### SECTION II – SUBCLASS REFERENCES TO THE CURRENT CLASS

## SEE OR SEARCH THIS CLASS, SUBCLASS:

 for a combinatorial chemistry process involving the process of directed molecular evolution of macromolecules such as RNA, DNA, and proteins.

#### PROJECT X-6295

#### D. CHANGES TO THE DEFINITIONS

- through 6, for methods that are specially adapted for identifying the nature of a specific library member.
- 7, through 12, for methods of screening a library for members that have a particular property or activity of interest.
- 13, through 22, for libraries, per se, based on their chemical or biological nature.
- 23, through 32, for methods of creating or synthesizing libraries including in silico, biochemical, and chemical methods.
- 33, through 40, for apparatus specially adapted for use in identifying, screening, or creating libraries.
- 41, for a tag or label that is specially adapted for used in a combinatorial chemistry process.
- 42, for a linker or spacer that is specially adapted for use in a combinatorial chemistry process.
- 43, for combinatorial chemistry technology not provided for elsewhere.

### SECTION III - REFERENCES TO OTHER CLASSES

#### SEE OR SEARCH CLASS:

- 73, Measuring and Testing, for processes and apparatus for determining a physical property of what is being tested.
- 204, Chemistry: Electrical and Wave Energy, for a process of preparing compounds or elements involving chemical reactions brought about by electric or wave energy or an electrostatic field or electrical discharge and apparatus therefore.
- 260, Chemistry of Carbon Compounds, subclass 665 for organic compounds containing a metal other than a heavy metal or aluminum bonded to carbon.
- 420, Alloys or Metallic Compositions, for alloys containing metal or metallic compositions which contain a continuous phase of metal and methods of making same not provided for elsewhere and elemental metal, per se.

#### PROJECT X-6295

#### D. CHANGES TO THE DEFINITIONS

- 422, Chemical Apparatus and Process Disinfecting, Deodorizing, Preserving, or Sterilizing, subclasses 50 through 104 for apparatus for performing an analysis which involves a chemical or physical reaction not elsewhere provided for and subclasses 129-242 for carrying out chemical reactions.
- 423, Chemistry of Inorganic Compounds, for inorganic compounds and nonmetallic elements and processes of producing by a chemical reaction.
- 424, and 514, Drug, Bio-Affecting and Body Treating Compositions, for compositions used for testing of living organisms; preventing, alleviating, treating, or curing abnormal and pathological conditions of the living body; and maintaining, increasing, decreasing, limiting, or destroying a physiologic body function, etc.
- 435, Chemistry: Molecular Biology and Microbiology, for micro-organisms, vectors, and enzymes, per se; methods of producing them; testing processes involving micro-organisms and enzymes; and apparatus therefor not specially adapted for combinatorial chemistry technology.
- 436, Chemistry: Analytical and Immunological Testing, subclasses 500 through 542 for immunological tests and related subject matter, and for processes of analysis of chemical properties of a sample, physiological effect of a sample, or chemical determination of a physical property of a sample not specially adapted for combinatorial chemistry technology.
- 502, Catalyst, Solid Sorbent, or Support Therefor: Product or Process of Making, subclasses 100 through 355 for a catalyst or precursor therefor and subclasses 400-438 for a solid sorbent.
- 504, Plant Protecting and Regulating Compositions, for compositions for treating living terrestrial and aquatic plants or their habitats for the purpose of stimulating or inhibiting growth or any regulating action on plant growth through chemical modification of plant metabolism.
- 520, Synthetic Resins or Natural Rubbers, subclass 1 for the residual home for compositions containing a solid synthetic resin or natural rubber, preparation, or treatment thereof.
- 521, Synthetic Resins or Natural Rubbers, for ion-exchange polymers, processes of reclaiming a solid synthetic resin, and for cellular synthetic resins.

#### PROJECT X-6295

#### D. CHANGES TO THE DEFINITIONS

- 522, Synthetic Resins or Natural Rubbers, for processes of preparing or treating a solid polymer utilizing wave energy, for compositions to be polymerized by wave energy wherein said composition contains a rate-affecting material, or for compositions to be modified by wave energy wherein said composition contains a rate-affecting material.
- 523, and 524, Synthetic Resins or Natural Rubbers, for solid synthetic resins or specified intermediate condensation products admixed with a nonreactant material.
- 525, Synthetic Resins or Natural Rubbers, for certain combinations of polyesters and certain reactable materials, for blends of solid synthetic resins, and for chemically modified solid synthetic resins.
- 526, Synthetic Resins or Natural Rubbers, for certain manipulative processes which are generic to both ethylenic polymers and to condensation polymers, and also provides for polymers derived from ethylenic monomers only.
- 527, Synthetic Resins or Natural Rubbers, for solid synthetic resins derived from at least one saturated material and certain special reactants (e.g., carbohydrates, proteins, natural resins, lignin, tannin, bituminous material, etc.).
- 528, Synthetic Resins or Natural Rubbers, for solid synthetic resins derived from plant material of unknown constitution or from at least one nonethylenic reactant, and also for processes of treating a polymer either derived from ethylenic or nonethylenic reactants wherein chemical bonds in the polymer are left unaffected.
- 530, Chemistry: Natural Resins or Derivatives; Peptides or Proteins; Lignins or Reaction Products Thereof, subclasses 200 through 233 for natural resins or derivatives, subclasses 300-427 for peptides or proteins, and subclasses 500-507 for lignins or derivatives.
- 534, Organic Compounds, for noble gases, radioactive or rare earth metal compounds, and azo and diazo compounds.
- 536, Organic Compounds, for carbohydrates.
- 540, Organic Compounds, for heterocyclic carbon compounds.
- 544, Organic Compounds, for six-membered nitrogen hetero rings with two or more hetero atoms.

# PROJECT X-6295

# D. CHANGES TO THE DEFINITIONS

703,

chemical device or system.

546,	Organic Compounds, for six-membered hetero rings with one ring nitrogen.
548,	Organic Compounds, for three-, four-, or five-membered nitrogen hetero rings.
549,	Organic Compounds, for oxygen or sulfur hetero rings.
552,	Organic Compounds, for azides, triphenylmethanes, quinones, hydroquinones, or steroids.
554,	Organic Compounds, for fats or fatty derivatives.
556,	Organic Compounds, for heavy metal, aluminum, or silicon compounds.
558,	and 560, Organic Compounds, for different esters.
562,	Organic Compounds, for acids, acid halides, acid anhydrides, or selenium and tellurium compounds.
564,	Organic Compounds, for amino nitrogen compounds.
568,	Organic Compounds, for boron, phosphorus, sulfur, or oxygen compounds.
570,	Organic Compounds, for halogen compounds.
585,	Organic Compounds, for hydrocarbons and certain compositions containing hydrocarbons.
702,	Data Processing: Measuring, Calibrating, or Testing, subclasses 19 through 32 for apparatus and corresponding methods wherein the data processing system or calculating computer is designed for or utilized in a biological, biochemical, or chemical environment relating to a specific or generic measurement system, a calibration or correction system, or a testing system.

Data Processing: Structural Design, Modeling, Simulation, and Emulation,

subclasses 11 and 12 for simulating a nonelectrical biological, biochemical, or

#### PROJECT X-6295

## D. CHANGES TO THE DEFINITIONS

977, Nanotechnology, for cross-reference art collections relating to nanostructure; chemical compositions of nanostructure; devices that include at least one nanostructure; mathematical algorithms specifically adapted for modeling configurations or properties of nanostructure; methods or apparatus for making, detecting, analyzing, or treating nanostructure; and specified particular uses of nanostructure.

#### SECTION IV - GLOSSARY

Terms used throughout the schedule and definitions are to have the meaning ascribed below. Generally accepted or commonly used "art" terms retain their meaning found in their everyday usage and are not found in this glossary. Certain specialized terms are employed in these subclasses and these terms have been given definitions altered to meet the needs of this class. Some or all of the terms may be broader or more restricted, as well as different in meaning compared to normal usage.

#### **ARRAY**

Set of compounds maintained in a specified spatial distribution (e.g., in the wells of a 96-well plate, in pins held in a rack, or at the tip of optical fibers arranged in a bunch, etc.).

#### **BIOCHEMICAL METHOD**

Process involving the use of micro-organisms, enzymes, vectors, or antibodies.

#### CHEMICAL EVOLUTION PROCESS

Process using in vitro selection systems that evolve to enrich mixtures of chemical compounds in those components having selected properties. The terminology "directed molecular evolution" is commonly employed when the process is applied to mixtures of macromolecules (e.g., RNA aptamers, etc.). Selected compounds are then amplified ("copied") using biochemical methods (e.g., enzymatic reverse transcription of RNA aptamers to DNA, PCR amplification, and finally retranscription to RNA, etc.). This concept has been adapted to organic chemistry and opened a new branch of combinatorial chemistry named "dynamic combinatorial chemistry" wherein the enrichment in the (usually low-molecular weight) compounds having a selected property results from the equilibration process that carries out a preferential destruction and recycling of unselected compounds.

# CODING OR ECODING

Strategy whereby a surrogate analyte is associated with each member of a library in order to record its structure or the reaction sequence used for its preparation. This is usually achieved by the use of tags or labels attached to particles or solid supports on which the library members are assembled.

#### PROJECT X-6295

#### D. CHANGES TO THE DEFINITIONS

#### COMBINATORIAL LIBRARY

A set of compounds (a library) prepared by combinatorial synthesis. This set may consist of a collection of pools or sublibraries.

#### **COMBINATORIAL SYNTHESIS**

Combinatorial synthesis is the preparation of sets of diverse entities by the combination of sets of chemical building blocks (e.g., reagents, etc.).

#### **CONTAINED IN**

A library "contained in" a micro-organism, a cell, or a vector is a library in which the members are present in the respective biological entity (e.g., in a plasmid, etc.).

#### **DECODING**

Method enabling the determination of the structure of a library member or the reaction sequence leading to its preparation, which method involves "reading" (e.g., determining the structure of, etc.) a surrogate analyte (e.g., code, tag, label, etc.) associated with said library member.

#### **DECONVOLUTION**

Process of fractionating (normally by resynthesis or by elaborating a partial library) a pool with some level of the desired activity to give a set of smaller pools. See also iterative deconvolution.

### DIRECTED MOLECULAR EVOLUTION

Directed molecular evolution is a process for enriching a library in members having a property or activity of interest. Directed molecular evolution involves cycles of taking a library, subjecting it to a screen to select for the desired property or activity, and amplifying the "hits" to provide the starting library for the subsequent cycle. "Mutations" may be introduced at the amplification stage in order to increase the diversity of the library. This subject matter involves aspects of creating and screening libraries.

## DISPLAYED BY

A library "displayed by" a micro-organism is a library present at the surface of such a micro-organism (e.g., of a bacteria, etc.).

#### DYNAMIC LIBRARY

Collection of compounds, in solution, in dynamic equilibrium (i.e., constantly changing). If the composition of the library is altered by the presence of a target which selectively binds certain library members, then shifting of the equilibrium will lead to an increase in

#### PROJECT X-6295

#### D. CHANGES TO THE DEFINITIONS

the amount of those components which bind to the target with relatively high affinity. A dynamic library contains all the potentially possible combinations of the components undergoing dynamic random connection, whether these combinations are or are not actually present in the conditions used. It is a virtual library. A real entity is generated in the presence of the target.

#### FLUOROUS SYNTHESIS

Approach for solution-phase synthesis which takes advantage of the ability of highly fluorinated groups to partition out of aqueous and most organic solutions into a third phase comprising a fluorinated solvent. The fluorinated side chain can act as a soluble support for synthesis.

#### **IDENTIFYING**

Determining the exact nature (e.g., chemical structure or sequence listing, etc.) of a particular library member or of a particular subset of library members.

#### IN SILICO LIBRARY

A library which has no physical existence, being constructed solely in electronic form or on paper. An in silico library is one type of virtual library. The building blocks required for such a library may not exist, and the chemical steps for creating such a library may not have been tested. These libraries are used in the design and evaluation of possible libraries.

#### **INTEGRATED APPARATUS**

Apparatus specifically designed for performing at least two different operations (e.g., synthesis and screening, etc.).

#### ITERATIVE DECONVOLUTION

Method for the identification of active library members which involves repeating the deconvolution strategy a certain number of times. Usually the initial library is divided into nonoverlapping subsets. The subsets are tested or screened separately, and the one with the greatest activity is identified. This subset is re-synthesized as a collection of simpler subsets which are tested for activity. The process is repeated until a unique library-member with a high level of activity is identified.

### LIBRARY

A library is a created collection of a plurality of compounds, micro-organisms, or other substances. The collection is useful as a test vehicle for determining which of its members or its subsets of members possess activities or properties of interest. A library might, for example, exist as (a) a solution, (b) a physical admixture, (c) an ordered or unordered array, or (d) a plurality of members present on a support and affixed thereto (e.g., by chemical bonding, physical attractive forces, coating, etc.).

#### PROJECT X-6295

#### D. CHANGES TO THE DEFINITIONS

#### LIQUID-PHASE SYNTHESIS

This terminology covers both solution-phase syntheses (i.e., reactions involving only one liquid phase) as well as syntheses in multiple liquid-phase systems (i.e., involving more than one liquid phase). The latter is concerned with syntheses performed on a liquid macromolecular compound such as polyethylene glycol (PEG), on dendrimers, or wherein a fluorocarbon phase is present in the system (fluorous synthesis).

#### **MICRO-ORGANISMS**

Bacteria; actinomycetales; single-celled fungi (e.g., yeast, etc.); virus, human, animal, or plant cells; tissues; protozoa; or unicellular algae.

#### PARTICULAR ATTACHMENT METHOD

Specific method of attachment focusing on the way molecules are bound to the solid or liquid support (e.g., by means of electrostatic interactions, formation of covalent bonds by cycloaddition reactions, or by irradiation, etc.).

#### **RESIN CAPTURE**

Method involving contacting the reaction medium with a solid support after a reaction is performed in solution in order to attach the reaction product to the resin and thus collect the reaction product easily.

#### SAFETY-CATCH LINKER

A linker which is cleaved by performing two different reactions instead of only one, thus providing greater control over the timing of compound release. In practice, the resin is "activated" before the actual cleavage takes place (e.g., cleavage by nucleophilic displacement of a previously alkylated sulfonamide resin, etc.).

# **SCREENING**

Determining whether a library contains a member or members which have a particular property or activity of interest.

#### **SOLID-PHASE SYNTHESIS**

Synthetic process wherein the reactions are performed on a solid support, usually in the presence of a solvent (i.e., wherein one or more library building blocks are bound to a solid support, e.g., polymer, resin, glass beads, etc.) during library creation.

#### PROJECT X-6295

#### D. CHANGES TO THE DEFINITIONS

#### SOLID SUPPORT

Insoluble, functionalized, polymeric material to which library members or other reagents may be attached (often via a linker) allowing library members to be readily separated (by filtration, centrifugation, etc.) from excess reagents, soluble reaction by-products, or solvents.

#### SOLUTION-PHASE SYNTHESIS

Synthesis performed in solution (i.e., wherein the reactants and reagents are all soluble in the reaction medium, irrespective of the fact that, for instance, a supported catalyst is used during the reaction). Solution-phase synthesis is also known as "synthesis in solution."

#### TRACELESS LINKER

Linker which does not leave any residue on the cleaved compound (i.e., which is replaced by a hydrogen atom).

#### VIRTUAL LIBRARY

A library which has no physical existence. This terminology encompasses two different types of libraries: in silico libraries and dynamic libraries.

#### **SUBCLASSES**

# 1 DIRECTED MOLECULAR EVOLUTION OF MACROMOLECULES (E.G., RNA, DNA, PROTEINS, ETC.):

Method under the class definition wherein a library of macromolecules, such as nucleic acids or proteins, is enriched in members having a property or activity of interest and involves cycles of taking a library, subjecting it to a screen to select for the desired property or activity, and amplifying the "hits" to provide the starting library for the subsequent cycle.

- (1) Note. "Mutations" may be introduced at the amplification stage in order to increase the diversity of the library.
- (2) Note. Directed molecular evolution involves aspects of creating and screening libraries.
- (3) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 10/00.

#### PROJECT X-6295

#### D. CHANGES TO THE DEFINITIONS

# 2 METHOD SPECIALLY ADAPTED FOR IDENTIFYING A LIBRARY MEMBER:

Method under the class definition wherein the method is specially adapted to determine the exact nature (e.g., chemical structure, sequence listing, etc.) of a particular library member or of a particular subset of library members.

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 20/00.

#### SEE OR SEARCH CLASS:

- 435, Chemistry: Molecular Biology and Microbiology, subclasses 4 through 40.52 for testing processes involving micro-organisms and enzymes not specially adapted for combinatorial chemistry technology.
- 436, Chemistry: Analytical and Immunological Testing, subclasses 500 through 542 for immunological tests and related subject matter, and for processes of analysis of chemical properties of a sample, physiological effect of a sample, or chemical determination of a physical property of a sample not specially adapted for combinatorial chemistry technology.
- 3 Identifying a library member by its fixed physical location on a support or substrate:

Method under subclass 2 wherein the exact nature of a library member is determined from its physical location in an array or arrangement.

- (1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 20/02.
- Identifying a library member by means of a tag, label, or other readable or detectable entity associated with the library member (e.g., decoding process, etc.):

  Method under subclass 2 wherein the exact nature of a library member to which a surrogate analyte (tag, label, etc.) is associated is determined by using the surrogate analyte which is attached to a solid support on which the library members are assembled to define the reaction path to which the solid support was exposed and hence imply the structure of a member of a library or the reaction sequence for its preparation.
  - (1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 20/04.

#### PROJECT X-6295

# D. CHANGES TO THE DEFINITIONS

#### 5 Using an iterative deconvolution technique:

Method under subclass 2 wherein the exact nature of a library member is determined by a method of screening of compound pools, identifying the active pool(s), resynthesizing and rescreening sublibraries (smaller pools), wherein the number of compounds in the sublibraries gets smaller and smaller, until only a single compound is present in each pool, thereby leading to the identification of the active library member(s).

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 20/06.

# 6 Direct analysis of a library member, per se, by a physical method (e.g., spectroscopy, etc.):

Method under subclass 2 wherein the exact nature of a library member is directly determined by a physical (nonchemical) method.

- Note. Physical methods include mass spectroscopy, nuclear magnetic resonance (NMR), etc.
- (2) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 20/08.

# 7 METHOD OF SCREENING A LIBRARY:

Method under the class definition for determining whether a member or members of a library have a desired chemical, physical, or biological property or activity, without necessarily identifying the precise nature of the member or members being screened.

- (1) Note. A method of screening a library is provided for in this subclass if the method involves screening the library as a whole, and if the method recites a library-specific limitation. The library should be an intentionally created library testing set. The simple repetitive screening of an ordered array of subject materials in individual containers simultaneously or sequentially, without recitation of a library-specific limitation, would not meet this test.
- (2) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 30/00.

#### SEE OR SEARCH CLASS:

435, Chemistry: Molecular Biology and Microbiology, subclasses 4 through 40.52 for testing processes involving micro-organisms and enzymes not specially adapted for combinatorial chemistry technology.

#### PROJECT X-6295

#### D. CHANGES TO THE DEFINITIONS

436, Chemistry: Analytical and Immunological Testing, subclasses 500 through 542 for immunological tests and related subject matter, and for processes of analysis of chemical properties of a sample, physiological effect of a sample, or chemical determination of a physical property of a sample not specially adapted for combinatorial chemistry technology.

# 8 In silico screening:

Method under subclass 7 wherein the members of a library are selected by evaluating their desireability in a computational model.

- (1) Note. In silico screening is also known as virtual screening.
- (2) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 30/02.

# 9 By measuring the ability to specifically bind a target molecule (e.g., antibodyantigen binding, receptor-ligand binding, etc.):

Method under subclass 7 wherein the members of a library are selected for their ability to principally attach to a target entity such as in antibody-antigen binding, biospecific ligand binding, etc.

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 30/04.

#### 10 By measuring the effect on a living organism, tissue, or cell:

Method under subclass 7 wherein members of a library are selected for their ability to produce a change in a living organism, tissue, or cell such as death, increased production of a product, etc.

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 30/06.

#### 11 By measuring catalytic activity:

Method under subclass 7 wherein members of a library are selected for their ability to catalyze reactions.

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 30/08.

### 12 By measuring a physical property (e.g., mass, etc.):

Method under subclass 7 wherein members of a library are selected for a specific physical (nonchemical) property such as density, refractive index, mass, etc.

#### PROJECT X-6295

#### D. CHANGES TO THE DEFINITIONS

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 30/10.

### 13 LIBRARY, PER SE (E.G., ARRAY, MIXTURE, IN SILICO, ETC.):

Subject matter under the class definition which is a created collection of a plurality of chemical compounds, biological entities (e.g., plasmid, bacterium, yeast cell, animal cell, etc.), or other materials wherein the collection is treated as a unit.

- (1) Note. The collection is useful as a test vehicle for determining which of its members possess(es) a useful property or activity.
- (2) Note. A library may exist as (a) a solution, (b) a physical admixture, (c) an ordered or unordered array, (d) a plurality of members present on a support and affixed thereto by chemical bonding, by physical attractive forces, or by coating, or (e) virtual or in silico (i.e., a library which is constructed solely in electronic form or on paper and has no physical existence).
- (3) Note. A natural product (e.g., plant extracts, etc.) is not considered as being a library, per se, for the purposes of this subclass, except where plural natural products are intentionally combined to make a library.
- (4) Note. Virtual or in silico libraries are classified as if they are physically existing entities (e.g., a virtual gene library is classified with the gene libraries, etc.).
- (5) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 40/00.
- Library contained in or displayed by a micro-organism (e.g., bacteria, animal cell, etc.) or library contained in or displayed by a vector (e.g., plasmid, etc.) or library containing only micro-organisms or vectors:

Library under subclass 13 wherein the library members are enclosed in or found on the surface of a micro-organism or a vector such as a plasmid, or the library members are a grouping of micro-organisms or vectors (e.g., virus library, plasmid library, etc.).

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 40/02.

#### SEE OR SEARCH CLASS:

435, Chemistry: Molecular Biology and Microbiology, subclasses 235.1 through 239 for virus or bacteriophage, per se; subclasses 243-261 for micro-organism, per se; subclass 320.1 for virus vector or bacteriophage vector, per se; subclasses 325-408 for animal cell, per se; and subclasses 410-431 for plant cell, per se.

#### PROJECT X-6295

#### D. CHANGES TO THE DEFINITIONS

# 15 Library containing only organic compounds:

Library under subclass 13 wherein the library members are solely organic compounds.

- (1) Note. An organic compound is defined as satisfying one of the following criteria: (a) at least two carbon atoms bonded to each other, or (b) one carbon atom bonded to at least one hydrogen atom or halogen atom, or (c) one carbon atom bonded to at least one nitrogen atom by a single or double bond.

  Exceptions to the above criteria are compounds consisting of only carbon atoms (e.g., fullerenes, etc.), cyanogen, cyanogen halides, cyanamide, metal carbides, hydrocyanic acid, isocyanic acid, isothiocyanic acid, fulminic acid, and salts of the previously mentioned acids. These exceptions are considered to be inorganic compounds for classification purposes.
- (2) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 40/04.

### 16 Nucleotides or polynucleotides, or derivatives thereof:

Library under subclass 15 wherein the library members are nucleotides or polynucleotides (e.g., nucleic acids, oligonucleotides, etc.).

- (1) Note. A nucleotide is a phosphorylated nucleoside.
- (2) Note. Polynucleotides, also called nucleic acids, are covalently linked series of nucleotides in which the 3i position of the pentose of one nucleotide is joined by a phosphodiester group to the 5i position of the next.
- (3) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 40/06.

#### SEE OR SEARCH CLASS:

536, Organic Compounds, subclasses 22.1 through 29.13 for N-glycosides, per se, including nucleotides, nucleic acids, oligonucleotides, etc.

#### 17 RNA or DNA which encodes proteins (e.g., gene library, etc.):

Library under subclass 16 wherein the library members are ribonucleic acids or deoxyribonucleic acids which carry the genetic code for making a specific protein.

- (1) Note. An example of an encoding nucleic acid library is a gene library.
- (2) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 40/08.

#### PROJECT X-6295

#### D. CHANGES TO THE DEFINITIONS

#### 18 Peptides or polypeptides, or derivatives thereof:

Library under subclass 15 wherein the library members are compounds containing two or more amino acids joined covalently by peptide bonds (e.g., dipeptides, proteins, etc.).

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 40/10.

#### SEE OR SEARCH CLASS:

530, Chemistry: Natural Resins or Derivatives; Peptides or Proteins; Lignins or Reaction Products Thereof, subclasses 300 through 427 for peptides or proteins, per se.

# 19 Saccharides or polysaccharides, or derivatives thereof:

Library under subclass 15 wherein the library members are carbohydrates.

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 40/12.

#### SEE OR SEARCH CLASS:

536, Organic Compounds, for carbohydrates, per se.

#### 20 Macromolecular compounds (e.g., synthetic resins, rubber, etc.):

Library under subclass 15 wherein the library members are polymer compounds which are made up of many smaller monomer units joined together chemically.

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 40/14.

#### 21 Metal-containing organic compounds:

Library under subclass 15 wherein the library members are organic compounds which contain a metal.

- (1) Note. A metal is an element other than hydrogen (H), boron (B), carbon (C), silicon (Si), nitrogen (N), phosphorus (P), oxygen (O), sulfur (S), selenium (Se), tellurium (Te), fluorine (F), chlorine (Cl), bromine (Br), iodine (I), astatine (At), helium (He), neon (Ne), argon (Ar), krypton (Kr), xenon (Xe), and radon (Rd).
- (2) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 40/16.

# 22 Library containing only inorganic compounds or inorganic materials:

Library under subclass 13 wherein the library members are solely inorganic in nature.

#### PROJECT X-6295

#### D. CHANGES TO THE DEFINITIONS

- (1) Note. Inorganic compounds include compounds consisting of only carbon atoms (e.g., fullerenes, etc.), cyanogen, cyanogen halides, cyanamide, metal carbides, hydrocyanic acid, isocyanic acid, isothiocyanic acid, fulminic acid, and salts of the previously mentioned acids. They do not include compounds satisfying one of the following criteria: (a) at least two carbon atoms bonded to each other, or (b) one carbon atom bonded to at least one hydrogen atom or halogen atom, or (c) one carbon atom bonded to at least one nitrogen atom by a single or double bond.
- (2) Note. An inorganic material includes alloys composed of two or more metals which may be (a) chemically united, (b) in the form of a mixture, or (c) in solid solution.
- (3) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 40/18.

#### SEE OR SEARCH CLASS:

- 420, Alloys or Metallic Compositions, for alloys, per se, containing metal or metallic compositions which contain a continuous phase of metal and methods of making same not provided for elsewhere. This class will also take elemental metal, per se.
- 423, Chemistry of Inorganic Compounds, for inorganic compounds, per se, and nonmetallic elements, per se, and processes of producing by a chemical reaction.

# 23 METHOD OF CREATING A LIBRARY (E.G., COMBINATORIAL SYNTHESIS, ETC.):

Method under the class definition which is directed to the preparation of a library, which method may include simple physical admixture of components, synthesis via chemical reaction, synthesis via a biological process (e.g., microbial, enzymatic, etc.), or any other synthetic means.

- (1) Note. Combinatorial synthesis is the preparation of sets of diverse entities by the combination of sets of chemical building blocks (e.g., reagents, etc.).
- (2) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 50/00.

#### In silico or mathematical conception of a library:

Method under subclass 23 involving preparation of a library in electronic form or on paper to be used in the design and evaluation of potential libraries.

(1) Note. The building blocks for preparing an in silico library may not exist, and the chemical steps for creating such a library may not have been tested.

#### PROJECT X-6295

#### D. CHANGES TO THE DEFINITIONS

(2) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 50/02.

# Using a dynamic combinatorial chemistry technique:

Method under subclass 23 for preparing a library involving a technique in which a target compound is introduced into a mixture of library constituents that are able to interconvert with each other chemically, wherein some of the library constituents bind to the target compound selectively and are therefore removed from the pool of interconverting species, thereby causing the equilibrium of the library solution to shift, favoring the production of species that bind to the target and minimizing the concentration of poorly binding library compounds.

- (1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 50/04.
- Biochemical method (e.g., using an enzyme or whole viable micro-organism, etc.):

  Method under subclass 23 for preparing a library involving the use of enzymes, vectors, micro-organisms, or antibodies.
  - (1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 50/06.
- 27 Liquid-phase synthesis (i.e., wherein all library building blocks are in liquid phase or in solution during library creation) or particular method of cleavage from the liquid support used:

Method under subclass 23 wherein building blocks of a library are in a liquid phase during library creation or a specifically recited method of cleaving the library from the liquid support is used.

- (1) Note. For the purposes of this subclass, liquid-phase synthesis includes both solution-phase synthesis (i.e., synthesis involving only one liquid phase) and multiple liquid-phase synthesis (i.e., synthesis involving more than one liquid phase). The latter synthesis may involve synthesis performed on a liquid macromolecular compound (soluble support) such as polyethylene glycol (PEG), a dendrimers, or wherein a fluorocarbon phase is present in the system (i.e., fluorous synthesis).
- (2) Note. A soluble support is an attachment, common to all library members, which renders the library components soluble under conditions for library synthesis, but which can be readily separated from most other soluble components when desired by some simple physical process.

#### PROJECT X-6295

#### D. CHANGES TO THE DEFINITIONS

- (3) Note. Fluorous synthesis is a type of solution-phase synthesis which takes advantage of the ability of highly fluorinated groups to partition out of aqueous and most organic solutions into a third phase comprising a fluorinated solvent.
- (4) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 50/08.

### 28 Involving an encoding step:

Method under subclass 27 wherein the method of preparing a library involves associating a unique tag (chemical or nonchemical) sequentially with each support when each library building block is added, therefore recording a history of building block additions which each support has been subjected to, during the entire synthesis.

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 50/10.

# 29 Using a particular method of attachment to the liquid support:

Method under subclass 27 wherein a specific method of attachment of the library building blocks focuses on the way the building blocks are bound to the liquid support (e.g., by means of electrostatic interactions, formation of covalent bonds by cycloaddition reactions, irradiation, etc.).

- (1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 50/12.
- Solid-phase synthesis (i.e., wherein one or more library building blocks are bound to a solid support during library creation) or particular method of cleavage from the solid support used:

Method under subclass 23 wherein one or more of the building blocks of a library bound to a solid support (e.g., resin bead, etc.) during library creation or a specifically recited method of cleaving the library from the solid support is used.

- (1) Note. A solid support is an insoluble, functionalized, polymeric material to which library members or reagents may be attached (often via a linker) allowing them to be readily separated (by filtration, centrifugation, etc.) from excess reagents, soluble reaction by-products, or solvents.
- (2) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 50/14.

#### PROJECT X-6295

# D. CHANGES TO THE DEFINITIONS

#### 31 Involving an encoding step:

Method under subclass 30 wherein the method of preparing a library involves associating a unique tag (chemical or nonchemical) sequentially with each solid support (e.g., bead, etc.) when each library building block is added, therefore recording a history of building block additions which each solid support has been subjected to, during the entire synthesis.

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 50/16.

# 32 Using a particular method of attachment to the solid support:

Method under subclass 30 wherein a specific method of attachment of the library building blocks focuses on the way the building blocks are bound to the solid support (e.g., by means of electrostatic interactions, formation of covalent bonds by cycloaddition reactions, irradiation, etc.).

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 50/18.

# 33 APPARATUS SPECIALLY ADAPTED FOR USE IN COMBINATORIAL CHEMISTRY OR WITH A LIBRARY:

Apparatus under the class definition which is uniquely designed or specially adapted for use in combinatorial chemistry technology.

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 60/00.

#### SEE OR SEARCH CLASS:

- 422, Chemical Apparatus and Process Disinfecting, Deodorizing, Preserving, or Sterilizing, subclasses 50 through 104 for apparatus for performing an analysis which involves a chemical or physical reaction not elsewhere provided for and subclasses 129-242 for carrying out chemical reactions.
- 435, Chemistry: Molecular Biology and Microbiology, subclasses 283.1 through 309.4 for apparatus for fermentation, enzymology, organ or tissue maintenance, or genetic engineering.

# Integrated apparatus specially adapted for creating a library, screening a library, and for identifying a library member:

Apparatus under subclass 33 which is specifically designed for performing the preparation of a library, the screening of library members for certain activities or properties, and the identification of the exact nature of particular library members.

#### PROJECT X-6295

# D. CHANGES TO THE DEFINITIONS

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 60/02.

# Integrated apparatus specially adapted for both screening a library and identifying a library member:

Apparatus under subclass 33 which is specifically designed for performing the screening of library members for certain activities or properties and the identification of the exact nature of particular library members.

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 60/04.

# Integrated apparatus specially adapted for both creating a library and identifying a library member:

Apparatus under subclass 33 which is specifically designed for performing the preparation of a library and the identification of the exact nature of particular library members.

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 60/06.

# 37 Integrated apparatus specially adapted for both creating and screening a library: Apparatus under subclass 33 which is specifically designed for performing the preparation of a library and the screening of library members for certain activities or properties.

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 60/08.

#### 38 For identifying a library member:

Apparatus under subclass 33 which is specifically designed for performing the identification of the exact nature of particular library members.

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 60/10.

#### For screening a library:

Apparatus under subclass 33 which is specifically designed for performing the screening of library members for certain activities or properties.

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 60/12.

#### PROJECT X-6295

#### D. CHANGES TO THE DEFINITIONS

#### 40 For creating a library:

Apparatus under subclass 33 which is specifically designed for performing the preparation of a library.

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 60/14.

# 41 TAG OR LABEL SPECIALLY ADAPTED FOR COMBINATORIAL CHEMISTRY OR A LIBRARY (E.G., FLUORESCENT TAG, BAR CODE, ETC.):

Subject matter under the class definition which is a tag or label unique for use in combinatorial chemistry techniques or unique as an identifier of a library or library members.

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 70/00.

# 42 LINKER OR SPACER SPECIALLY ADAPTED FOR COMBINATORIAL CHEMISTRY OR A LIBRARY (E.G., TRACELESS LINKER, SAFETY-CATCH LINKER, ETC.):

Subject matter under the class definition for use in combinatorial chemistry techniques which involves a chemical constituent which is used to connect a compound to a support or another compound in order to enhance a reaction outcome.

- (1) Note. A linker is a bifunctional molecule attaching a compound or first building block of a synthesis to a solid or soluble support which can be cleaved to release compounds from the support.
- (2) Note. A traceless linker is one which does not leave any residue on a compound after cleavage from a support (i.e., linker is replaced by a hydrogen atom).
- (3) Note. A safety-catch linker is cleaved by performing two different reactions instead of only one, thus providing greater control over the timing of compound release. For example, a sulfonamide resin is "activated" before the actual cleavage takes place (e.g., cleavage by nucleophilic displacement of a previously alkylated sulfonamide resin).
- (4) Note. A spacer is a chemical moiety used in solid-phase synthesis to influence reaction conditions, reduce steric hindrance, modify hydrophobicity, etc.
- (5) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 80/00.

#### 43 MISCELLANEOUS:

# PROJECT X-6295

# D. CHANGES TO THE DEFINITIONS

Subject matter under the class definition which is not provided for in other subclasses.

(1) Note. The subject matter in this subclass is substantially the same in scope as IPC C40B 99/00.

# PROJECT X-6295

# D. CHANGES TO THE DEFINITIONS

CLASS 520 – SYNTHETIC RESINS OR NATURAL RUBBERS – PART OF THE CLASS 520 SERIES

Class Definition: Under SECTION III – REFERENCES TO OTHER CLASSES, SEE OR SEARCH CLASS

Insert:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for a chemical or biological library or a process of creating said library.

# PROJECT X-6295

# D. CHANGES TO THE DEFINITIONS

# CLASS 530 – CHEMISTRY: NATURAL RESINS OR DERIVATIVES; PEPTIDES OR PROTEINS; LIGNINS OR REACTION PRODUCTS THEREOF

Subclass 200: Under SEE OR SEARCH CLASS

Insert:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for a

chemical or biological library or a process of creating said library.

Subclass 300: Under SEE OR SEARCH CLASS

**Insert:** 

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for a

peptide library or a method of making said library.

Subclass 350: Under SEE OR SEARCH CLASS

**Insert:** 

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for a

protein library or a method of making said library.

Subclass 500: Under SEE OR SEARCH CLASS

**Insert:** 

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for a chemical or biological library or a process of creating said library.

# PROJECT X-6295

# D. CHANGES TO THE DEFINITIONS

CLASS 532 – ORGANIC COMPOUNDS – PART OF THE CLASS 532 – 570 SERIES

Class Definition: After the last entry under SECTION II – LINES WITH OTHER CLASSES AND WITHIN THIS CLASS

Delete:

**SECTION III – GLOSSARY** 

**Insert:** 

SECTION III - REFERENCES TO OTHER CLASSES

SEE OR SEARCH CLASS:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for a chemical or biological library or a process of creating said library.

SECTION IV - GLOSSARY

# PROJECT X-6295

# D. CHANGES TO THE DEFINITIONS

# CLASS 536 – ORGANIC COMPOUNDS – PART OF THE CLASS 532 – 570 SERIES

Subclass 1.11: Under SEE OR SEARCH CLASS

# Insert:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for a carbohydrate library and a process of creating said library.

# PROJECT X-6295

# D. CHANGES TO THE DEFINITIONS

# CLASS 540 – ORGANIC COMPOUNDS – PART OF THE CLASS 532 – 570 SERIES

Subclass 1: Under SEE OR SEARCH CLASS

# Insert:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for a chemical or biological library or a process of creating said library.

# PROJECT X-6295

# D. CHANGES TO THE DEFINITIONS

# CLASS 585 – CHEMISTRY OF HYDROCARBON COMPOUNDS

Class Definition: After the last entry under SECTION II – LINES WITH OTHER CLASSES AND WITHIN THIS CLASS

# Insert:

# SECTION III - REFERENCES TO OTHER CLASSES

SEE OR SEARCH CLASS:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for a chemical or biological library or a process of creating said library.

# PROJECT X-6295

# D. CHANGES TO THE DEFINITIONS

CLASS 702 - DATA PROCESSING: MEASURING, CALIBRATING, OR TESTING

Class Definition: Under SECTION III – REFERENCES TO OTHER CLASSES, SEE OR SEARCH CLASS

# Insert:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for in silico screening of a chemical or biological library.

Subclass 19: Under SEE OR SEARCH CLASS

#### **Insert:**

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for in silico screening of a chemical or biological library.

Subclass 22: Under SEE OR SEARCH CLASS

#### **Insert:**

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for in silico screening of a chemical or biological library.

# PROJECT X-6295

# D. CHANGES TO THE DEFINITIONS

CLASS 703 – DATA PROCESSING: STRUCTURAL DESIGN, MODELING, SIMULATION, AND EMULATION

Class Definition: Under SECTION II – REFERENCES TO OTHER CLASSES, SEE OR SEARCH CLASS

#### **Insert:**

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for in silico or mathematical conception of a chemical or biological library.

Subclass 11: Under SEE OR SEARCH CLASS

#### Insert:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for in silico or mathematical conception of a chemical or biological library.

Subclass 12: Under SEE OR SEARCH CLASS

# **Insert:**

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for in silico or mathematical conception of a chemical or biological library.

# PROJECT X-6295

# D. CHANGES TO THE DEFINITIONS

#### CLASS 977 - NANOTECHNOLOGY

Class Definition: Under SECTION II – REFERENCES TO OTHER CLASSES, SEE OR SEARCH CLASS

# Insert:

506, Combinatorial Chemistry Technology: Method, Library, Apparatus, for a chemical or biological library, a process of creating said library, a process of testing involving said library, an apparatus specially adapted for creating or testing involving said library, or tags, labels, or linkers specially adapted for use in combinatorial chemistry techniques.